


Bodenmesswerte **Aetigkofen Wiese** Parabraunerde; schwach pseudogleyig
 Koordinaten 601870 / 219372, 601 müM leichter bis mittelschwerer Boden

2016 Tag	Jan		Feb		März		April		Mai		Juni		Juli		Aug		Sept		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	1.5	0.0	-0.3	34.1	2.3	0.2	7.4	0.0	4.1	11.6	2.4	1.6	1.8	22.8	10.6	7.8	31.4	0.0	19.1	0.0	2.3	0.0	2.5	0.0
2	1.1	0.1	0.8	0.4	2.3	0.4	7.9	0.0	0.8	11.3	3.1	0.0	2.4	0.0	11.9	0.0	33.4	0.0	20.0	2.1	2.4	0.0	2.5	0.0
3	0.5	6.5	1.6	0.0	1.4	4.8	8.2	0.0	1.4	0.1	2.4	5.4	1.9	13.6	13.0	0.0	35.4	0.0	21.0	4.5	2.5	0.0	2.5	0.0
4	0.5	3.4	0.9	8.1	0.5	4.6	8.5	0.0	2.6	0.4	1.9	3.3	2.8	0.0	14.2	0.1	37.7	0.0	22.0	0.0	2.7	0.0	2.5	0.0
5	-0.1	13.6	0.6	1.4	0.5	4.4	9.0	0.0	3.1	0.0	2.6	8.6	3.8	0.0	14.7	17.2	40.3	6.8	22.9	0.0	2.9	0.2	2.6	0.0
6	0.4	2.0	0.5	1.7	0.0	9.4	9.6	7.9	3.7	0.0	1.5	6.9	4.6	0.0	14.0	3.2	42.5	13.4	23.7	0.0	1.9	35.7	2.6	0.0
7	0.7	2.5	1.4	0.0	0.6	0.1	9.9	4.0	4.3	0.0	2.8	0.1	5.3	0.0	13.8	0.0	42.7	0.1	24.5	0.0	0.6	5.3	2.7	0.0
8	0.3	13.5	1.5	1.4	0.8	1.5	8.9	0.1	4.9	0.0	3.7	0.0	6.1	0.0	14.0	0.0	42.7	0.0	25.5	0.0	0.5	2.5	2.7	0.0
9	0.0	20.3	1.1	2.9	0.9	0.8	7.9	0.1	5.5	0.0	3.4	12.3	6.9	0.0	14.5	0.0	42.9	0.0	26.2	0.1	0.9	0.0	2.6	0.0
10	0.0	17.5	0.1	9.3	0.7	0.0	7.6	1.5	6.1	0.3	1.5	6.2	7.8	0.0	14.9	0.9	43.2	0.0	26.8	10.1	0.8	8.8	2.6	0.0
11	0.2	20.8	0.6	0.1	1.1	0.0	7.4	0.0	6.7	0.3	3.2	0.0	8.9	0.0	15.8	0.1	43.8	0.0	24.4	0.0	-0.2	9.7	2.5	0.0
12	-0.2	26.3	1.2	0.1	1.8	0.0	7.6	0.6	7.4	0.1	2.6	8.1	9.8	5.3	16.9	0.0	44.7	0.0	21.6	0.0	0.2	9.5	2.4	0.0
13	0.1	15.3	1.5	9.0	2.4	0.0	7.9	6.1	5.3	43.6	2.6	0.6	2.3	49.9	18.0	0.0	45.9	0.0	20.6	0.0	1.2	0.0	2.3	0.0
14	0.8	0.6	0.0	11.6	2.7	0.0	6.6	20.1	0.5	31.5	1.8	14.6	1.5	1.4	19.0	0.0	47.0	0.0	20.1	4.0	1.3	2.7	2.3	0.0
15	1.4	0.2	0.1	11.7	3.0	0.0	1.2	3.3	1.5	1.7	1.7	5.6	1.7	4.6	20.3	0.0	48.5	0.0	19.7	3.5	0.8	0.0	2.3	0.0
16	1.6	1.1	1.2	0.0	3.1	0.7	1.9	3.8	2.6	0.0	2.6	4.5	2.3	0.0	21.6	0.0	50.4	0.1	19.5	0.1	1.5	0.0	2.3	0.0
17	1.7	1.4	1.7	0.5	3.0	0.2	0.9	7.9	3.3	0.2	1.8	28.9	3.2	0.0	20.7	0.0	51.8	9.0	18.9	0.0	1.7	0.0	2.3	0.0
18	1.7	0.0	1.7	0.0	3.2	0.0	0.5	22.6	3.7	2.2	1.0	7.0	4.1	0.0	20.1	9.2	51.6	6.2	18.0	3.7	1.5	1.0	2.4	0.0
19	1.8	0.0	1.9	0.2	3.5	0.0	0.8	9.3	4.2	3.4	3.0	3.0	4.9	0.0	19.5	10.9	52.0	12.2	17.1	1.6	0.6	15.4	2.4	0.0
20	1.9	0.7	1.1	5.2	3.8	0.0	1.8	0.0	3.2	5.8	3.6	0.0	5.5	0.0	18.9	0.1	51.5	11.1	16.2	0.1	-0.1	10.1	2.4	0.1
21	1.7	3.1	1.0	2.0	4.1	0.0	2.8	0.0	2.9	0.0	-	0.0	5.7	0.0	18.7	4.8	37.8	0.2	15.3	0.0	1.0	0.0	2.2	0.0
22	1.2	0.0	0.9	0.0	4.4	0.0	3.5	0.0	3.8	0.0	-	2.2	5.7	0.6	19.2	0.7	22.5	0.0	14.5	1.4	1.3	0.0	2.1	0.0
23	1.4	0.0	1.9	0.2	4.6	0.0	4.2	0.0	4.5	4.6	4.7	0.0	6.1	3.4	19.6	0.0	18.4	0.0	13.8	0.0	1.6	0.0	2.2	0.0
24	0.7	0.1	1.7	5.8	5.0	0.0	4.1	9.6	1.5	27.1	5.1	0.0	6.5	1.2	20.1	0.0	17.2	0.0	13.2	4.7	1.8	0.0	2.2	0.0
25	0.6	0.0	0.9	6.1	5.3	0.0	2.2	2.5	1.6	2.5	5.9	0.2	7.0	0.0	21.4	0.0	16.7	0.0	12.6	0.0	1.9	0.0	2.2	0.0
26	1.0	0.0	0.2	6.2	5.5	1.1	2.2	0.7	2.8	0.0	1.7	29.6	7.5	0.0	22.9	0.0	16.7	0.0	2.8	34.5	2.1	0.0	2.4	0.0
27	1.4	0.0	1.0	0.0	5.7	0.7	2.6	2.1	3.5	0.0	1.9	0.0	8.0	0.0	24.3	0.0	17.0	0.0	0.4	21.7	2.1	0.0	2.7	0.0
28	1.7	0.0	1.6	0.0	6.0	0.0	2.6	0.0	4.0	0.0	2.9	0.0	8.7	0.9	25.9	0.0	17.4	0.0	1.4	0.0	2.2	0.0	2.8	0.0
29	2.0	0.0	2.0	0.0	6.2	0.2	3.2	0.0	2.3	15.4	3.6	0.0	9.5	0.0	27.8	0.0	17.9	0.0	1.8	0.2	2.4	0.0	2.9	0.0
30	2.0	0.4			6.6	1.8	3.7	0.0	0.6	16.6	4.3	6.6	10.4	0.0	29.5	0.6	18.2	0.0	1.9	0.0	2.5	0.0	3.0	0.0
31	2.1	6.6			6.9	0.0			1.8	0.3			11.4	0.1	10.6	0.0			2.1	0.0			3.0	0.0


SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm);

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	156.0	118.0	30.9	102.2	179.0	155.3	103.8	55.6	59.1	92.3	100.9	0.1
Saugspannung 20 cm (cbar)	Monatsmittel	1.8	1.8	4.8	6.5	5.4	4.4	10.8	24.1	38.1	12.1	2.6	3.9
	Maximum	3.2	3.0	10.2	16.1	15.8	9.1	27.8	49.4	67.4	30.1	4.2	4.7
	Minimum	0.3	0.1	0.5	1.2	1.6	2.4	2.8	8.5	3.7	1.4	0.6	3.2
Saugspannung 35 cm (cbar)	Monatsmittel	1.0	1.0	3.2	5.1	3.4	2.8	5.6	18.3	36.0	16.4	1.5	2.5
	Maximum	2.1	2.0	6.9	9.9	7.4	5.9	11.4	29.5	52.0	26.8	2.9	3.0
	Minimum	-0.2	-0.3	0.0	0.5	0.5	1.0	1.5	10.6	16.7	0.4	-0.2	2.1
Bodentemperatur 20 cm (°C)	Monatsmittel	3.1	3.8	4.3	10.0	13.3	17.0	20.9	20.9	18.6	11.5	7.1	3.1
	Maximum	4.7	6.3	7.9	12.4	17.0	20.4	22.7	22.9	21.5	16.0	9.9	4.2
	Minimum	1.5	2.3	1.9	8.1	9.3	15.2	17.7	18.9	16.1	9.3	4.7	1.9
Bodentemperatur 35 cm (°C)	Monatsmittel	3.4	4.0	4.4	9.7	12.6	16.3	20.1	20.5	18.6	12.0	7.7	3.8
	Maximum	4.9	5.6	7.1	11.8	15.8	18.8	21.7	22.2	21.1	16.0	10.4	5.1
	Minimum	2.2	3.0	2.5	7.9	9.4	14.9	17.8	19.1	16.2	10.0	6.1	2.9
Lufttemperatur (°C)	Monatsmittel	2.3	3.4	4.0	8.7	12.3	15.8	19.5	19.1	16.7	8.5	4.4	-0.4
	Maximum	11.2	14.7	18.8	20.9	25.3	31.2	31.7	31.7	27.6	17.1	13.3	9.9
	Minimum	-8.8	-2.9	-4.2	-1.2	2.3	9.5	7.6	7.1	7.7	1.0	-4.8	-5.2



März – Oktober 2016: Die Tensiometer konnten teilweise aufgrund extremer Trockenheit keine korrekten Messwerte mehr liefern.

Temperaturen Aetigkofen 2016




Darstellung der Tagesmittelwerte; Lücken = keine Daten

2015 Tag	Jan		Feb		März		April		Mai		Juni		Juli		Aug		Sept		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	0.2	0.0	0.7	0.4	0.1	0.0	0.5	1.5	11.1	3.7	10.3	0.0	66.6	0.0	(>80)	0.0	0.0	0.0	0.0	72.5	0.0	0.5	1.4	
2	0.4	0.0	1.1	0.4	0.1	6.7	0.7	1.5	3.3	70.7	11.4	0.0	72.7	0.0	(>80)	0.0	4.6	(>80)	0.0	71.8	0.0	1.4	0.0	
3	0.6	0.1	1.0	1.3	0.0	6.5	0.3	8.3	0.4	22.2	12.8	0.5	77.6	0.0	(>80)	10.8	0.0	0.0	70.6	0.0	1.8	0.0		
4	-0.2	4.9	0.9	0.0	1.2	0.0	0.4	1.7	0.2	25.7	14.7	0.0	(>80)	0.0	(>80)	0.0	0.0	0.0	69.1	0.0	1.9	0.0		
5	0.4	4.3	1.3	0.0	1.0	2.0	-0.1	11.6	0.3	12.1	17.5	0.0	(>80)	0.0	(>80)	0.0	0.0	(>80)	9.0	68.0	0.0	2.0	1.3	
6	1.2	0.0	1.4	0.0	1.7	0.0	0.6	0.0	1.1	1.9	20.7	0.0	(>80)	0.0	(>80)	0.4	0.0	(>80)	1.9	66.9	0.0	1.3	0.0	
7	1.5	0.0	1.6	0.0	2.2	0.0	1.6	0.0	0.8	11.3	23.6	0.1	(>80)	1.0	(>80)	0.0	0.0	(>80)	8.5	66.0	0.0	1.6	0.0	
8	1.5	0.0	1.8	0.0	2.7	0.0	2.2	0.0	2.1	0.0	26.7	3.1	(>80)	0.0	(>80)	0.0	0.0	(>80)	0.8	64.9	0.0	1.8	0.0	
9	1.6	0.8	2.0	0.1	3.0	0.0	2.8	0.0	2.9	4.4	29.0	0.0	(>80)	0.0	(>80)	0.0	0.0	(>80)	0.0	63.6	0.0	1.9	0.0	
10	1.0	1.9	2.1	0.0	3.4	0.0	3.2	0.0	2.8	0.1	31.1	0.0	(>80)	0.0	(>80)	2.4	0.0	(>80)	0.0	62.4	0.0	1.2	2.5	
11	0.3	0.4	2.2	0.0	3.8	0.0	3.6	0.0	3.5	0.0	33.5	0.0	(>80)	0.0	(>80)	0.7	0.0	(>80)	0.0	61.2	0.0	1.3	0.0	
12	0.2	6.0	2.2	0.0	4.0	0.0	4.0	0.6	4.1	0.0	37.5	0.0	(>80)	0.0	(>80)	0.4	0.0	(>80)	0.0	60.0	0.0	1.6	0.0	
13	0.8	0.0	2.3	0.0	4.3	0.0	4.4	0.0	4.5	0.0	42.9	0.0	(>80)	0.0	(>80)	0.0	3.5	(>80)	0.0	58.8	0.0	1.8	0.0	
14	1.4	0.0	2.2	0.0	4.6	0.0	4.7	0.0	5.0	0.0	50.0	2.7	(>80)	0.0	(>80)	0.0	4.4	(>80)	0.0	58.0	0.0	2.0	0.0	
15	0.4	9.2	1.5	0.0	4.9	0.0	5.2	0.0	5.5	2.6	53.0	2.8	(>80)	0.0	(>80)	3.7	11.6	(>80)	0.0	57.1	0.0	2.1	0.0	
16	0.8	0.0	0.0	0.0	5.1	0.0	5.7	0.0	5.2	18.3	48.7	18.1	(>80)	0.0	(>80)	7.0	0.0	(>80)	2.1	56.3	0.0	2.0	0.0	
17	1.2	5.7	0.2	0.0	5.3	0.0	6.3	0.3	1.8	0.0	42.5	2.1	(>80)	0.0	(>80)	1.1	0.0	(>80)	0.3	55.8	0.0	1.0	3.0	
18	-0.2	6.9	0.5	0.0	5.5	0.0	6.8	4.8	2.5	0.0	45.1	0.0	(>80)	0.0	(>80)	6.5	23.9	(>80)	0.0	55.7	0.1	1.0	0.0	
19	0.4	0.0	1.0	0.0	5.8	0.0	7.2	4.5	3.2	0.0	45.1	7.6	(>80)	6.2	(>80)	0.0	1.0	76.7	4.4	56.0	0.0	1.3	0.0	
20	0.7	1.9	1.0	0.0	6.1	0.0	7.3	0.0	3.7	0.1	44.1	2.1	(>80)	0.0	(>80)	0.0	0.0	76.5	0.0	56.3	1.1	1.6	0.0	
21	0.6	3.9	0.1	0.0	6.5	0.0	7.4	0.0	4.0	0.3	44.9	0.0	(>80)	0.0	(>80)	3.0	0.1	76.5	0.0	26.2	54.5	1.7	0.0	
22	0.4	0.0	-0.1	8.2	6.7	2.3	7.7	0.0	4.3	2.4	42.6	5.3	(>80)	0.0	(>80)	0.0	0.0	76.3	0.0	1.1	2.9	1.1	3.5	
23	0.7	0.0	0.0	1.8	6.8	0.0	8.1	0.0	4.5	0.2	41.9	1.1	(>80)	0.2	(>80)	0.0	2.8	76.2	0.0	1.2	0.2	0.9	0.0	
24	1.2	0.0	0.1	2.8	6.8	0.0	8.7	0.0	4.8	0.0	42.9	5.2	(>80)	0.1	(>80)	0.0	4.9	76.1	0.0	1.3	0.2	1.4	0.0	
25	1.4	0.8	-0.1	0.0	7.1	0.0	9.4	0.0	5.4	0.0	44.8	0.0	(>80)	4.4	(>80)	2.0	0.0	75.6	0.0	1.6	0.0	1.7	0.0	
26	1.4	0.2	0.3	0.5	7.3	1.3	10.1	0.4	6.0	2.2	47.7	0.0	(>80)	0.5	(>80)	13.0	0.0	75.5	0.0	1.1	5.6	2.0	0.0	
27	1.6	4.5	0.3	0.0	7.5	0.2	10.7	0.7	6.3	1.8	51.1	0.0	(>80)	4.4	(>80)	0.0	0.0	74.8	0.0	0.6	0.1	2.2	0.0	
28	1.5	0.9	-0.1	1.8	7.7	0.4	11.5	1.1	6.8	0.0	54.8	0.0	(>80)	2.1	(>80)	0.0	0.0	74.2	0.1	1.2	0.0	2.3	0.0	
29	1.2	0.0	0.0	0.0	7.8	0.5	11.6	12.4	7.6	0.0	58.0	0.0	(>80)	0.1	(>80)	0.0	0.0	73.5	7.1	1.5	0.3	2.3	0.0	
30	0.4	13.1	0.0	0.0	7.8	12.3	11.6	0.0	8.4	0.0	62.2	0.0	(>80)	3.7	(>80)	0.1	0.0	73.6	3.4	0.9	5.0	2.2	0.1	
31	0.0	4.4	0.0	0.0	0.4	17.2	0.0	0.0	9.3	0.0	0.0	0.0	(>80)	0.0	(>80)	0.0	0.0	73.1	0.0	0.0	1.9	0.0	0.0	

SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm); () = Datengrundlage unvollständig*


		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	70.3	16.9	50.9	51.2	176.4	50.7	22.7	50.7	57.9	38.3	71.4	12.4
Saugspannung 20 cm (cbar)	Monatsmittel	1.4	1.5	6.3	8.7	6.8	47.2	(77.1)	(>80.0)	(>80.0)	(23.4)	16.1	2.5
	Maximum	2.8	3.3	11.9	22.4	21.5	86.7	(79.9)	(>80.0)	(>80.0)	(34.6)	41.1	4.1
	Minimum	-1.1	-0.7	-0.6	-0.8	-0.9	15.2	(74.0)	(>80.0)	(>80.0)	(11.6)	-1.1	0.5
Saugspannung 35 cm (cbar)	Monatsmittel	0.8	1.0	4.4	5.8	4.2	39.6	(73.4)	(>80.0)	(>80.0)	(75.1)	40.6	1.7
	Maximum	2.4	3.2	8.1	11.9	10.9	70.1	(76.5)	(>80.0)	(>80.0)	(76.7)	72.3	2.4
	Minimum	-0.8	-0.5	-0.5	-0.6	-0.6	10.8	(70.1)	(>80.0)	(>80.0)	(72.3)	-0.1	0.4
Bodentemperatur 20 cm (°C)	Monatsmittel	2.9	1.6	5.6	10.0	15.1	19.2	22.7	20.9	16.1	11.1	8.1	4.5
	Maximum	6.2	2.6	9.0	15.3	18.9	23.8	27.4	26.2	22.5	14.9	11.2	6.3
	Minimum	1.5	1.1	1.5	5.0	11.6	15.9	17.0	16.5	11.2	7.8	3.4	2.4
Bodentemperatur 35 cm (°C)	Monatsmittel	3.3	2.0	5.4	9.6	14.5	18.4	22.0	20.6	16.4	11.4	8.6	5.0
	Maximum	5.4	2.5	7.8	13.3	16.7	21.2	24.3	23.4	22.0	14.2	10.7	6.2
	Minimum	2.4	1.7	2.0	5.9	11.6	15.9	18.3	17.8	12.4	8.8	4.4	3.4
Lufttemperatur (°C)	Monatsmittel	1.1	-0.4	6.4	10.0	13.6	18.1	22.3	20.0	13.1	8.9	6.8	3.2
	Maximum	13.5	8.8	17.5	22.3	27.2	31.0	36.2	35.9	24.4	18.3	17.7	10.3
	Minimum	-6.4	-9.3	-2.0	-2.2	4.4	8.8	9.3	9.1	5.7	1.8	-4.9	-4.4

() = Datengrundlage unvollständig*



*4. Juli - 18. Oktober 2015: Aufgrund extremer Trockenheit konnte die Saugspannung nicht gemessen werden.

Temperaturen Aetigkofen 2015




Darstellung der Tagesmittelwerte; Lücken = keine Daten


2014 Tag	Jan		Feb		März		April		Mai		Juni		Juli		Aug		Sept		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	1.5	0.2	2.2	4.8	1.2	1.6	3.3	0.0	0.2	2.0	2.4	0.0	19.1	0.0	3.0	0.7	5.7	0.7	15.8	0.1	3.1	0.0	1.0	3.5
2	0.7	3.5	0.0	2.9	1.1	0.0	3.6	0.0	0.3	4.7	2.9	0.4	19.0	6.5	3.2	2.7	6.1	0.0	16.5	0.0	3.1	0.0	1.1	0.0
3	0.6	1.1	0.4	0.0	0.8	2.2	3.9	0.0	-0.4	5.7	3.3	0.0	19.0	0.0	2.5	2.7	6.6	0.0	17.1	0.0	3.1	0.0	1.6	0.0
4	-0.1	12.3	0.6	1.0	1.0	1.7	4.2	0.0	0.3	0.0	3.7	8.2	19.1	8.7	2.8	0.0	7.1	0.0	17.5	0.0	3.1	1.1	1.9	0.0
5	0.2	4.3	0.6	3.6	1.1	0.0	4.6	0.0	1.0	0.0	0.9	0.0	5.0	0.7	3.8	0.0	7.7	0.0	14.4	16.2	0.2	33.3	2.0	0.0
6	1.2	0.0	0.7	0.0	1.9	0.0	4.9	0.1	1.5	0.3	1.9	0.0	6.1	6.6	4.3	0.0	8.3	0.0	5.6	0.3	0.8	0.1	1.2	0.5
7	1.6	0.0	0.5	11.2	2.3	0.0	5.3	0.0	1.6	6.3	2.9	0.0	1.0	5.1	4.7	1.0	9.0	0.0	5.9	25.2	1.5	0.4	1.5	0.0
8	1.9	0.0	0.5	3.8	2.7	0.0	5.5	12.1	0.5	0.1	3.9	0.0	0.6	12.4	5.1	0.1	9.8	0.0	1.1	8.7	1.7	0.0	1.8	0.0
9	2.1	0.2	0.1	1.4	3.0	0.0	4.6	1.7	1.3	0.6	5.0	0.0	0.6	9.5	4.0	10.0	9.8	10.7	2.1	0.7	1.9	0.0	2.0	0.1
10	0.0	0.0	1.1	0.6	3.3	0.0	4.3	0.0	2.0	0.1	6.3	1.0	0.6	5.3	1.6	12.9	8.9	0.1	1.1	9.3	1.2	3.8	2.1	0.1
11	2.3	0.0	0.6	1.9	3.6	0.0	4.4	0.0	2.5	5.7	7.8	0.0	0.8	13.3	0.9	5.1	10.0	0.0	0.7	15.8	0.8	0.0	1.8	0.0
12	2.3	0.0	1.5	0.0	3.9	0.0	4.7	0.0	1.5	0.1	9.2	0.0	1.3	0.8	2.2	0.0	9.7	1.7	1.6	0.0	1.0	7.4	1.7	0.0
13	1.9	2.5	0.4	18.1	4.2	0.0	5.2	0.0	0.8	7.7	10.5	0.0	1.9	0.2	2.9	1.2	9.6	0.1	1.3	3.0	0.4	2.1	2.2	0.0
14	0.2	3.1	0.6	0.0	4.4	0.0	5.7	0.0	-0.4	4.8	12.4	0.0	2.8	0.3	3.5	0.0	9.7	0.0	1.6	0.1	1.4	0.0	2.4	0.5
15	0.9	0.0	1.1	14.2	4.7	0.0	6.2	0.0	-0.1	3.7	15.0	0.0	3.3	0.0	2.0	18.5	10.0	0.0	1.2	3.4	0.8	20.9	1.6	0.7
16	1.0	14.8	0.2	5.3	4.9	0.0	6.8	0.0	0.7	0.0	20.9	0.0	4.1	0.0	1.1	1.3	10.5	0.0	1.6	2.3	0.3	7.1	1.5	0.1
17	-0.1	2.8	1.4	0.0	5.2	0.0	7.4	0.0	1.6	0.0	29.5	0.0	5.0	0.0	2.4	0.0	11.0	0.0	1.0	2.6	0.2	9.5	1.0	12.9
18	0.8	0.0	1.9	0.0	5.5	0.0	7.9	2.5	2.3	0.0	25.5	0.0	6.1	0.0	3.4	0.0	11.5	0.1	2.0	0.0	0.8	0.9	0.4	2.7
19	1.3	0.0	2.2	0.1	5.9	0.0	8.3	0.0	3.0	0.0	30.3	0.0	6.9	0.0	3.9	0.7	11.9	0.6	2.4	0.1	1.5	0.0	1.2	2.9
20	1.6	0.7	2.4	0.1	6.1	0.0	8.7	0.0	3.7	0.0	36.0	0.0	6.0	41.2	4.3	0.1	12.4	1.0	2.7	5.8	2.0	0.0	0.4	2.3
21	0.8	0.1	1.1	3.0	6.5	0.0	9.1	3.3	4.4	0.0	44.4	0.0	1.2	10.7	4.7	0.0	12.9	5.4	0.5	7.6	2.2	0.0	1.5	0.0
22	1.3	0.0	1.2	2.9	5.5	15.5	9.4	0.0	5.3	0.7	55.1	1.4	0.4	13.6	5.1	0.0	13.0	5.2	0.7	2.5	2.3	0.0	1.8	0.0
23	1.7	0.7	0.7	0.0	2.0	5.5	9.9	0.4	2.0	22.7	40.8	8.1	1.5	0.1	5.5	0.0	12.3	0.0	1.4	0.6	2.4	0.0	2.1	0.0
24	0.2	3.2	1.8	0.0	1.4	5.7	10.4	0.0	1.3	3.4	20.3	15.8	2.8	0.0	5.7	4.5	12.3	4.2	2.0	3.0	2.4	0.0	2.3	0.0
25	0.9	0.0	2.4	0.0	0.3	0.0	11.1	0.5	1.8	0.0	20.0	0.0	3.7	0.0	5.6	0.4	13.1	0.0	1.9	1.4	2.5	0.0	2.4	0.2
26	1.2	2.6	2.6	3.2	0.8	0.0	11.8	8.3	2.2	2.0	20.4	0.0	3.2	16.9	5.5	6.4	13.7	0.0	2.0	0.0	2.4	0.0	2.5	0.0
27	-0.1	4.7	0.3	4.4	1.2	0.0	6.8	15.5	1.5	3.4	21.5	0.2	1.5	0.1	4.5	1.8	14.2	0.0	2.5	0.0	2.4	0.1	2.2	11.8
28	1.1	0.0	0.4	0.6	1.7	0.0	1.5	19.8	0.8	0.1	20.4	0.1	2.3	9.2	4.4	0.0	14.6	0.0	2.6	0.0	2.5	0.0	1.2	0.9
29	1.7	0.0			2.2	0.0	0.1	0.2	1.2	3.3	19.2	3.6	0.7	5.4	4.5	0.1	15.0	0.0	2.8	2.4	2.6	0.0	0.1	1.1
30	2.0	0.0			2.5	0.0	0.0	8.3	0.5	0.1	18.8	1.1	1.0	8.3	4.9	0.0	15.6	1.7	3.0	0.0	2.6	0.0	0.2	0.0
31	2.2	0.0			2.9	0.0			1.6	0.0			2.1	0.0	5.4	1.0			3.1	0.0			0.1	0.1

SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm);

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	56.8	83.1	32.2	72.7	77.5	39.9	174.9	71.2	31.5	108.1	86.7	40.4
Saugspannung 20 cm (cbar)	Monatsmittel	2.0	1.8	5.4	12.3	3.9	29.4	4.5	5.0	16.6	6.5	2.4	2.1
	Maximum	3.3	3.7	13.7	27.3	11.0	86.5	13.3	8.8	28.3	30.6	4.4	3.3
	Minimum	-0.6	-0.8	-0.2	0.0	-0.1	0.7	-0.8	-0.2	8.1	-0.6	-0.7	-0.6
Saugspannung 35 cm (cbar)	Monatsmittel	1.2	1.1	3.0	6.1	1.5	17.2	4.8	3.8	10.7	4.4	1.8	1.5
	Maximum	2.4	2.8	6.8	12.2	5.9	65.8	20.2	6.0	15.7	18.4	3.2	2.5
	Minimum	-0.7	-1.0	-0.1	-0.8	-1.1	0.5	-0.4	0.1	5.5	-0.4	-0.7	-0.5
Bodentemperatur 20 cm (°C)	Monatsmittel	3.1	3.2	6.3	11.1	13.8	19.6	19.7	19.4	17.6	14.2	8.9	5.2
	Maximum	4.5	5.1	9.8	14.9	17.9	23.3	23.6	23.0	20.4	17.5	11.7	7.7
	Minimum	1.3	0.0	3.1	8.2	10.3	15.0	15.8	16.7	13.9	0.0	7.4	3.1
Bodentemperatur 35 cm (°C)	Monatsmittel	3.4	3.3	6.1	10.5	13.3	18.8	19.3	19.4	17.6	14.4	9.4	5.9
	Maximum	4.2	4.6	8.5	12.9	16.2	21.1	21.7	21.7	19.5	16.9	11.5	8.3
	Minimum	1.8	0.0	3.7	8.1	10.8	15.2	16.4	17.2	15.1	0.0	8.2	3.8
Lufttemperatur (°C)	Monatsmittel	2.3	3.1	7.2	10.1	12.1	17.9	17.5	16.2	15.3	12.3	5.9	2.6
	Maximum	10.2	10.9	19.3	20.7	25.2	32.1	30.3	26.4	25.6	21.1	13.6	11.4
	Minimum	-3.8	-3.1	-2.9	0.2	2.9	7.7	8.8	8.4	5.2	3.6	1.4	-12.5



Temperaturen Aetigkofen 2014




Darstellung der Tagesmittelwerte; Lücken = keine Daten

2013 Tag	Jan		Feb		März		April		Mai		Juni		Juli		Aug		Sept		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	-	4.2	-	22.0	1.1	0.0	1.0	0.0	2.8	1.6	0.4	18.8	10.8	0.0	5.6	0.0	17.1	0.0	5.2	0.0	2.1	0.0	1.6	0.0
2	-	0.1	-	11.9	0.7	0.0	1.8	0.0	3.0	4.5	1.5	0.0	11.1	0.0	6.6	0.0	17.6	0.0	5.5	0.0	1.0	7.9	1.4	0.0
3	-	0.0	0.1	0.0	0.6	0.0	2.3	0.0	1.7	1.3	2.3	0.0	11.4	16.9	7.8	0.0	18.9	0.0	5.7	0.0	-0.1	26.8	1.6	0.0
4	-	0.0	0.8	1.9	0.1	0.0	2.8	0.0	1.5	1.4	2.9	0.0	11.4	0.6	8.8	6.1	20.7	0.0	5.8	7.2	0.2	11.9	1.5	0.0
5	-	0.0	-0.1	7.8	0.1	0.0	3.2	0.0	2.0	0.0	3.5	0.0	10.5	0.0	9.8	0.0	22.6	0.0	4.4	10.2	0.4	6.0	1.1	0.0
6	-	0.0	0.6	3.0	0.3	0.0	3.6	0.0	3.1	0.0	4.1	0.0	10.0	0.0	10.9	0.0	24.6	0.1	3.2	0.2	0.0	11.8	0.4	0.3
7	-	0.0	1.3	0.1	1.1	0.0	4.0	0.0	3.8	0.0	4.8	0.0	10.1	0.0	11.8	19.2	25.9	13.8	2.6	0.0	1.4	0.0	1.1	0.0
8	-	0.0	1.5	0.0	1.3	3.3	4.1	1.4	4.4	0.1	5.5	6.6	10.8	0.0	10.7	2.5	20.9	28.4	2.5	0.0	1.6	14.0	1.7	0.0
9	-	0.0	1.7	0.2	0.5	0.0	1.8	11.2	5.0	4.4	6.0	5.7	11.7	0.0	10.5	0.0	1.6	0.8	2.6	3.6	0.5	2.1	2.0	0.0
10	-	7.7	1.8	0.1	1.4	0.0	0.5	0.4	1.6	15.9	1.5	19.0	12.7	0.0	10.7	0.0	2.1	4.2	1.5	17.6	0.4	10.9	2.2	0.0
11	-	3.3	1.9	8.0	1.8	0.3	0.1	17.6	1.9	0.0	1.5	0.0	14.0	0.0	11.2	0.0	2.7	0.3	0.4	7.1	1.1	0.2	2.5	0.0
12	-	0.0	1.9	0.5	2.1	0.1	0.1	14.8	2.7	0.8	2.6	0.0	15.4	0.0	12.1	0.0	3.2	1.5	0.3	14.1	1.7	0.0	2.7	0.0
13	-	0.6	1.7	0.0	1.9	1.7	0.9	0.7	3.2	0.0	3.5	1.1	17.7	0.0	13.1	0.0	3.5	0.0	0.6	1.0	1.9	0.0	2.5	0.0
14	-	0.0	1.7	0.0	0.9	0.0	2.2	0.0	3.9	0.0	4.1	1.5	20.9	0.0	13.9	0.0	3.7	1.4	1.1	3.7	2.1	0.0	1.6	2.0
15	-	1.4	1.6	0.2	1.6	0.0	3.2	0.0	4.6	0.3	4.7	0.0	24.5	0.0	15.2	0.0	4.0	7.4	0.6	8.4	2.1	0.0	0.7	0.0
16	-	0.0	0.9	0.0	2.1	0.0	4.0	0.0	5.1	0.4	5.4	0.0	29.1	0.0	17.0	0.0	3.3	9.2	0.7	11.3	2.2	0.0	1.1	0.0
17	-	0.0	0.7	0.0	2.1	1.0	4.7	0.0	5.1	4.8	6.3	0.0	34.1	0.9	19.4	0.0	1.0	4.5	1.0	3.5	2.3	0.0	1.3	0.0
18	-	0.0	0.7	0.0	0.2	7.7	5.1	4.1	4.9	0.2	7.5	0.0	39.7	0.0	22.4	0.0	0.4	21.8	1.8	0.0	2.3	0.0	1.5	0.0
19	-	5.1	0.9	0.0	0.3	1.4	2.1	30.1	5.7	1.6	8.9	0.0	45.9	16.1	24.3	6.9	1.2	0.7	2.0	0.0	2.2	2.7	0.5	13.2
20	-	0.2	1.0	0.0	1.2	1.9	-0.1	8.1	6.1	0.0	9.6	9.1	33.3	0.0	26.8	0.0	2.1	0.0	1.7	1.8	0.6	0.5	-0.2	9.5
21	-	0.5	1.1	0.0	0.7	0.1	0.7	3.4	6.2	7.0	11.0	3.7	24.1	0.0	30.3	0.0	2.6	0.0	1.0	1.6	0.5	5.7	0.9	0.0
22	-	0.0	1.8	0.0	1.8	0.0	1.0	0.0	5.0	4.7	11.4	0.0	28.7	0.0	33.9	0.0	2.9	0.0	1.5	0.1	0.1	4.4	1.2	0.0
23	-	0.0	2.4	0.0	2.4	0.0	1.8	0.0	3.5	1.0	11.6	0.0	36.3	0.0	36.9	0.5	3.2	0.0	1.2	6.2	-0.2	1.3	1.5	0.0
24	-	0.0	2.6	0.1	2.8	0.0	2.7	0.0	3.5	0.0	11.7	5.5	45.0	0.0	36.4	15.2	3.5	0.0	1.0	0.1	0.3	0.4	1.7	0.0
25	-	0.0	2.6	0.0	2.2	0.7	3.5	0.0	3.8	5.8	11.9	0.0	55.5	0.0	36.8	3.4	3.8	0.0	1.6	0.2	1.0	0.1	0.9	18.4
26	-	0.0	2.9	0.0	1.2	0.9	4.1	0.8	2.4	0.6	12.3	0.0	65.0	0.0	37.1	0.0	4.1	0.5	2.0	2.0	1.8	0.0	-0.2	15.7
27	-	0.7	2.7	0.0	0.7	0.0	4.0	6.9	2.5	0.0	12.7	0.1	71.1	0.0	35.9	17.3	4.4	0.0	0.7	27.9	2.1	0.0	0.8	0.0
28	-	5.9	2.0	0.0	0.2	10.6	2.4	0.3	3.2	11.8	12.8	0.0	75.2	3.7	30.5	0.0	4.7	0.2	1.4	0.3	2.3	0.0	0.9	7.3
29	-	3.7	0.0	0.0	0.2	8.5	2.4	0.5	0.2	18.5	12.6	10.8	53.7	67.5	22.4	0.0	4.9	0.1	0.5	14.4	2.2	0.1	0.5	0.0
30	-	7.4	0.0	-0.3	9.1	2.4	0.0	1.4	0.0	10.9	0.1	3.7	1.4	18.8	0.0	5.1	1.1	1.5	0.0	2.0	1.9	1.3	0.0	
31	-	0.2	0.0	0.1	3.7	0.0	0.8	25.1	0.0	0.0	0.0	4.6	0.0	17.6	0.0	1.9	0.0	1.9	0.0	0.0	1.6	0.0	0.0	0.0


SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm); 01.01.2013 bis 02.02.2013 keine Saugspannungs-Messwerte

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	41.0	55.8	51.0	100.3	111.8	82.0	107.1	71.1	96.0	140.5	108.7	66.4
Saugspannung 20 cm (cbar)	Monatsmittel	-	(2.3)	2.0	3.4	4.2	9.8	41.5	20.9	9.0	3.4	2.3	2.1
	Maximum	-	(4.6)	4.1	8.0	8.3	21.0	80.9	56.4	32.0	11.2	3.9	4.0
	Minimum	-	(-0.3)	-0.4	-0.5	-0.3	-0.3	0.7	2.5	-0.4	-2.9	-0.5	-0.7
Saugspannung 35 cm (cbar)	Monatsmittel	-	(1.5)	1.2	2.4	3.4	6.9	27.3	19.5	7.9	2.1	1.3	1.3
	Maximum	-	(3.2)	3.0	5.6	6.4	13.4	76.9	39.4	27.7	6.1	2.5	3.8
	Minimum	-	(-0.6)	-0.8	-1.0	-0.3	-0.3	1.2	5.1	-0.2	-2.0	-1.0	-0.8
Bodentemperatur 20 cm (°C)	Monatsmittel	-	(1.4)	3.1	8.3	12.9	17.7	21.2	21.2	17.2	13.2	7.3	2.4
	Maximum	-	(3.9)	6.0	13.6	15.2	23.3	25.3	25.9	21.9	16.6	11.5	4.3
	Minimum	-	(0.0)	0.7	2.5	10.4	11.0	16.1	17.6	13.8	10.2	2.8	1.3
Bodentemperatur 35 cm (°C)	Monatsmittel	-	(1.7)	3.1	7.7	12.4	16.8	20.2	20.8	17.1	13.5	7.9	3.0
	Maximum	-	(4.1)	4.0	11.6	13.8	21.0	22.9	23.6	20.4	16.2	11.4	4.2
	Minimum	-	(0.0)	1.0	2.9	10.1	11.4	16.3	18.2	14.7	11.1	3.8	1.9
Lufttemperatur (°C)	Monatsmittel	-0.5	-1.6	2.1	8.5	10.3	16.0	20.5	19.2	14.7	10.9	3.6	0.5
	Maximum	10.4	8.3	12.6	23.1	21.6	32.2	33.2	31.1	28.5	20.9	15.6	11.1
	Minimum	-10.1	-10.7	-7.0	-1.2	2.0	4.7	10.0	10.4	6.3	3.0	-5.5	-7.1

() = Datengrundlage unvollständig



Temperaturen Aetigkofen 2013




Darstellung der Tagesmittelwerte; Lücken = keine Daten

2012 Tag	Jan		Feb		März		April		Mai		Juni		Juli		Aug		Sept		Okt		Nov		Dez		
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	
1	0.3	0.1	1.3	0.0	0.8	0.0	5.7	0.0	3.8	0.9	10.2	0.0	10.3	19.5	25.3	0.0	1.2	1.6	2.0	0.0	1.4	3.9	-	0.0	
2	0.4	7.4	1.5	0.0	1.3	0.0	6.2	0.0	4.0	8.9	11.2	0.0	6.2	9.0	27.0	0.0	1.1	0.0	2.5	0.0	0.5	1.1	-	0.6	
3	0.8	0.1	1.7	0.0	1.7	0.0	6.6	1.7	3.4	0.0	12.2	9.6	2.7	1.6	28.7	0.0	1.8	0.0	2.7	0.2	1.5	0.2	-	8.7	
4	0.5	7.7	1.9	0.0	2.0	0.0	7.1	13.3	3.9	0.8	12.1	10.1	2.4	0.0	30.3	0.0	2.5	0.0	2.7	2.7	0.7	24.5	-	8.7	
5	0.2	21.9	2.1	0.0	1.9	0.8	3.0	9.2	1.7	12.7	12.7	0.0	3.0	6.4	32.1	6.7	3.2	0.0	2.2	0.1	0.6	3.8	-	5.7	
6	0.6	0.2	2.4	0.0	2.2	0.0	1.8	0.0	1.1	1.6	12.7	0.1	0.8	16.4	16.2	0.0	3.7	0.0	2.6	0.0	0.7	5.9	-	0.5	
7	1.1	0.6	2.7	0.0	2.4	0.0	2.1	0.7	2.1	0.5	12.1	9.6	1.9	0.0	23.6	0.0	4.3	0.0	1.8	11.7	1.5	0.0	-	7.1	
8	0.4	3.1	2.3	0.0	2.4	0.8	2.2	0.5	2.7	3.1	2.7	20.2	2.5	0.0	20.6	0.0	5.0	0.0	1.2	4.8	1.8	0.0	-	7.3	
9	0.9	0.1	2.4	0.0	2.5	0.0	2.4	0.0	1.9	1.4	1.7	0.0	3.2	0.0	19.2	0.0	5.7	0.0	0.4	25.3	2.0	0.0	-	0.0	
10	1.5	0.0	2.5	0.0	1.5	0.0	2.7	4.0	2.7	0.0	2.3	1.1	3.8	0.1	18.9	0.0	6.6	0.0	0.3	20.6	0.4	34.7	-	1.9	
11	1.8	0.0	3.7	0.0	-	0.0	0.7	9.2	3.5	0.0	1.2	15.2	4.2	0.0	19.6	0.0	7.3	0.1	1.4	0.0	0.1	11.2	-	0.4	
12	1.9	0.0	3.9	0.0	-	0.0	0.4	7.8	3.5	-	0.7	11.6	4.7	0.0	21.0	0.0	7.4	-	1.1	6.2	1.2	0.0	-	0.0	
13	2.0	0.0	2.9	0.0	-	0.1	0.7	0.0	2.2	0.0	1.2	2.0	4.8	4.1	22.1	0.0	7.2	0.0	1.8	0.0	1.7	0.0	-	1.6	
14	2.1	0.0	4.5	0.1	-	0.0	1.3	4.2	3.2	0.0	2.0	2.0	5.3	0.0	23.8	0.0	6.6	0.0	2.2	0.1	2.0	0.0	-	4.1	
15	2.3	0.0	4.6	9.0	3.4	0.0	0.2	4.7	4.0	0.0	2.8	0.0	5.3	0.4	26.1	0.0	6.5	0.0	2.3	0.3	2.1	0.0	-	22.5	
16	2.6	0.0	4.7	1.0	3.6	0.0	0.0	4.5	4.5	0.0	3.6	0.0	5.5	0.0	28.7	10.8	6.7	0.0	2.5	0.0	0.3	0.0	-	9.1	
17	2.8	0.0	4.6	0.0	3.8	0.0	1.2	0.0	4.6	0.0	4.3	0.0	6.0	0.0	30.1	0.0	6.9	0.0	2.7	0.0	-	0.0	-	16.1	
18	2.9	0.0	4.4	0.0	4.0	6.9	1.6	0.7	5.1	0.0	4.9	0.0	6.7	0.0	31.7	0.0	7.3	2.0	2.8	0.0	-	0.0	-	12.5	
19	3.0	3.7	4.3	0.8	3.6	7.1	1.6	2.6	5.4	2.6	5.5	0.0	7.6	0.0	34.1	0.0	7.8	4.2	3.0	0.0	-	0.0	-	0.0	
20	0.5	8.9	3.9	0.0	0.7	0.0	1.3	1.4	6.5	0.0	5.9	4.5	8.3	0.7	36.3	11.9	8.0	0.0	3.2	0.0	-	0.0	-	6.9	
21	-0.2	5.9	3.3	0.0	1.4	0.0	1.6	6.2	6.8	11.4	6.1	0.8	9.1	0.2	20.6	0.0	8.4	3.7	3.4	0.0	-	0.0	-	1.0	
22	0.2	7.1	3.0	0.0	1.9	0.0	0.4	3.3	7.0	7.5	6.4	0.0	10.0	0.0	28.6	0.0	5.7	16.7	3.6	0.0	-	0.2	-	13.1	
23	0.9	0.0	2.9	0.0	2.3	0.0	0.6	4.8	5.7	1.1	7.0	0.0	11.1	0.0	28.3	1.9	1.6	0.0	3.7	0.3	-	0.0	-	5.8	
24	0.8	2.4	2.0	0.0	2.7	0.0	0.7	0.4	5.0	0.0	7.6	0.0	12.5	0.0	28.3	14.0	1.1	7.8	3.5	0.3	-	0.0	-	0.0	
25	0.2	1.8	0.0	0.0	3.1	0.0	1.2	0.0	5.1	0.0	8.3	5.4	14.3	0.0	27.4	3.7	1.4	0.1	3.4	0.2	-	0.9	-	16.7	
26	0.8	0.1	-0.2	0.0	3.5	0.0	1.9	0.0	5.7	0.0	8.7	0.9	16.3	0.0	25.9	1.1	1.6	5.3	3.3	1.8	-	14.4	-	4.2	
27	0.4	4.5	0.3	0.0	3.9	0.0	2.4	0.0	6.4	0.0	9.2	0.0	18.7	0.0	23.9	0.0	0.8	3.5	1.3	15.8	-	16.8	-	12.0	
28	-0.1	4.9	0.4	0.0	4.3	0.0	3.0	0.0	7.1	0.0	10.0	0.0	20.8	0.0	26.3	0.0	1.7	0.0	1.0	1.8	-	9.9	-	0.9	
29	0.6	0.4	0.4	0.0	4.7	0.0	3.4	0.0	7.8	0.0	10.8	0.0	22.3	3.9	27.3	0.1	1.1	10.4	0.5	0.0	-	5.6	-	0.0	
30	1.1	0.6	-	-	4.8	0.0	3.5	0.0	8.5	0.0	11.7	0.0	23.2	0.0	24.2	19.9	1.3	0.0	0.8	0.0	-	0.0	-	0.1	
31	1.2	1.7	-	-	5.2	0.0	-	-	9.3	0.0	-	-	24.0	0.0	9.4	3.2	-	1.3	0.0	-	-	-	-	-	0.0


SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm); 11.03.12 bis 14.03.12 und 17.11.12 bis 31.12.12 keine Saugspannungs-Messwerte

	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	83.2	10.9	15.7	79.2	(52.5)	91.1	62.3	73.3	(56.4)	92.2	133.1	167.5
Saugspannung 20 cm (cbar)	1.8	4.4	(5.9)	5.7	7.4	10.4	18.6	42.7	4.7	3.4	(2.1)	-
Maximum	5.2	11.9	(18.2)	8.0	23.2	34.0	57.5	62.2	10.7	6.2	(3.7)	-
Minimum	-1.2	-0.9	(-0.1)	-0.5	0.3	-0.3	0.7	0.7	-0.1	-0.2	(-0.4)	-
Saugspannung 35 cm (cbar)	1.1	2.6	(2.6)	2.3	4.7	6.9	9.0	25.3	4.4	2.2	(1.2)	-
Maximum	3.1	4.9	(5.6)	5.6	9.8	13.4	24.9	38.9	9.4	4.0	(2.3)	-
Minimum	-0.9	-0.8	(0.1)	-1.0	0.6	-0.1	0.0	3.5	-0.2	-0.5	(-0.8)	-
Bodentemperatur 20 cm (°C)	2.4	0.5	(5.7)	8.6	14.6	18.9	20.4	21.4	16.8	9.6	(7.9)	-
Maximum	4.1	2.3	(9.8)	12.6	18.9	24.8	24.3	25.1	21.3	15.4	(10.5)	-
Minimum	0.6	0.2	(0.6)	2.5	11.2	14.9	17.5	17.4	13.0	6.7	(6.7)	-
Bodentemperatur 35 cm (°C)	-	-	-	-	13.9	18.2	20.0	20.9	17.0	12.4	(8.3)	-
Maximum	-	-	-	-	17.3	22.3	22.3	23.1	19.9	14.9	(10.2)	-
Minimum	-	-	-	-	11.4	15.5	18.3	18.2	14.0	8.2	(7.8)	-
Lufttemperatur (°C)	1.7	-3.8	8.3	8.2	13.9	17.4	18.0	19.4	14.0	9.6	5.0	(-0.4)
Maximum	8.4	14.0	19.6	29.0	26.6	29.9	31.2	33.5	26.9	21.0	15.1	(10.6)
Minimum	-7.0	-15.7	-2.7	-1.3	1.1	7.0	9.3	9.2	5.0	-2.8	-2.3	(-10.7)

Bodentemperatur 35 cm ab Mai gemessen; () = Datengrundlage unvollständig



Temperaturen Aetigkofen 2012



Darstellung der Tagesmittelwerte; Lücken = keine Daten; Schnee Anfangs Februar (ca. 5 cm) hat isolierende Wirkung