

Grundwasserstand

Widiwald - Zuchwil


SO 608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	426.36	426.28 -	426.30 +	426.28	426.28	426.27	426.25 +	426.15 +	426.08	426.15 -	426.18	426.18	1
	2	426.33	426.28	426.30	426.27	426.28	426.27	426.25	426.14	426.08	426.20	426.18	426.18	2
	3	426.32	426.28	426.29	426.27	426.27	426.27	426.25	426.14	426.08	426.21	426.17	426.18	3
	4	426.32	426.29	426.29	426.27	426.27	426.27	426.25	426.14	426.08	426.21	426.18	426.18	4
	5	426.33	426.29	426.29	426.26	426.28	426.28	426.24	426.14	426.07	426.21	426.17	426.17	5
	6	426.33	426.29	426.29	426.26	426.28	426.28	426.22	426.14	426.07	426.21	426.17	426.17	6
	7	426.32	426.30	426.28	426.26 -	426.28	426.28	426.21	426.14	426.06	426.22	426.17	426.17	7
	8	426.31	426.30	426.28	426.27	426.28	426.28	426.22	426.13	426.08	426.22	426.16	426.17	8
	9	426.37	426.30	426.28	426.30	426.28	426.28	426.21	426.13	426.06	426.22	426.16	426.17	9
	10	426.41 +	426.29	426.28	426.29	426.27	426.28	426.21	426.13	426.05	426.22	426.17	426.18	10
müM	11	426.38	426.29	426.28	426.29	426.27	426.28	426.21	426.12	426.05 -	426.21	426.16	426.17	11
	12	426.36	426.29	426.27	426.28	426.27	426.28	426.21	426.12	426.05	426.21	426.16	426.17	12
	13	426.34	426.29	426.27	426.28	426.27	426.29	426.20	426.12	426.06	426.21	426.16	426.17	13
	14	426.33	426.29	426.27	426.27	426.27	426.29 +	426.19	426.12	426.05	426.22	426.15 -	426.17	14
	15	426.33	426.28	426.27	426.27	426.27	426.29	426.19	426.12	426.06	426.23	426.16	426.18	15
	16	426.33	426.29	426.28	426.27	426.27	426.28	426.18	426.12	426.08	426.23	426.16	426.19	16
	17	426.32	426.35	426.27	426.28	426.27	426.27	426.18	426.12	426.08	426.22	426.17	426.18	17
	18	426.32	426.38 +	426.28	426.28	426.27	426.27	426.17	426.11	426.08	426.22	426.19	426.17	18
	19	426.32	426.34	426.28	426.28	426.27	426.26	426.17	426.11	426.08	426.22	426.20	426.17	19
	20	426.31	426.33	426.28	426.28	426.27 -	426.26	426.17	426.10	426.08	426.22	426.19	426.16	20
+ Maximum	21	426.31	426.32	426.27	426.28	426.27	426.25	426.17	426.09	426.08	426.22	426.19	426.16 -	21
	22	426.31	426.33	426.27	426.28	426.27	426.25	426.16	426.09	426.08	426.24	426.19	426.16	22
	23	426.31	426.33	426.27 -	426.27	426.27	426.25	426.16	426.09	426.08	426.24	426.19	426.23	23
	24	426.30	426.32	426.27	426.28	426.27	426.26	426.16	426.09	426.08	426.25	426.20	426.34 +	24
	25	426.30	426.31	426.27 -	426.30	426.27	426.26	426.15	426.09	426.08	426.27 +	426.20 +	426.30	25
	26	426.29	426.31	426.27 -	426.31 +	426.27	426.26	426.15	426.09	426.08	426.25	426.20	426.28	26
	27	426.28	426.31	426.27	426.31	426.28	426.26	426.15	426.09	426.09	426.23	426.19	426.27	27
	28	426.28	426.30	426.27	426.30	426.28	426.25	426.15	426.09	426.13	426.21	426.19	426.26	28
	29	426.28 -	426.30	426.27	426.29	426.29 +	426.24	426.14	426.09	426.14 +	426.20	426.19	426.26	29
	30	426.28	426.27	426.27	426.28	426.28	426.24 -	426.14 -	426.09	426.14	426.20	426.18	426.28	30
31	426.28	426.28	426.28	426.28	426.28	426.24	426.14	426.09 -	426.14	426.19	426.18	426.30	31	
Monatsmittel		426.32 +	426.31	426.28	426.28	426.27	426.27	426.19	426.11	426.08 -	426.22	426.18	426.20	müM
Maximum (Spitze)		426.42 +	426.39	426.30	426.32	426.29	426.29	426.26	426.15 -	426.15	426.27	426.21	426.35	müM
Datum		10.	17.	1.	26.	29.	14.	4.	1.	29.	25.	24.	24.	
Monatsamplitude		0.14	0.12	0.03	0.07	0.02 -	0.05	0.12	0.06	0.10	0.12	0.06	0.19 +	m
Jahr		Mittel 426.22	Max (Spitze) 426.42 (10.1.)				Min (Spitze) 426.05 (15.9.)			Jahresamplitude (Spitze) 0.37				



Periode	2012 - 2022 (ohne: 2013) (10 Jahre)												
Monatsmittel	426.25 +	426.25 +	426.23	426.19	426.21	426.19	426.18	426.14	426.13 -	426.15	426.16	426.19	müM
Maximum (Spitze)	426.74	426.55	426.46	426.33	426.48	426.48	426.81 +	426.33	426.33	426.37	426.32 -	426.45	müM
Jahr	2018	2021	2020	2021	2015	2021	2021	2021	2021	2020	2020	2012	
Minimum (Spitze)	426.02	426.12 +	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.01	426.01	müM
Jahr	2016	2012	2012	2012	2012	2012	2012	2012	2012	2012	2015	2017	
Monatsamplitude (Max)	0.53	0.20	0.19	0.11	0.37	0.24	0.57 +	0.13	0.10 -	0.12	0.15	0.34	m
Jahr	2018	2021	2019	2016	2015	2016	2021	2020	2022	2022	2016	2012	
Periode	Mittel 426.19	Max (Spitze) 426.81 (15.7.2021)				Min (Spitze) 425.90 (31.8.2012)			Periodenamplitude (Spitze) 0.92				



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2021	Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
1	426.37	426.54 +	426.35	426.32 +	426.32	426.34	426.41	426.28	426.30	426.29	426.31	426.26 -	1
2	426.37	426.53	426.34	426.32 +	426.33	426.33	426.37	426.31	426.30	426.30	426.31	426.27	2
3	426.37	426.52	426.34	426.32 +	426.33	426.33	426.34	426.30	426.31	426.29	426.31 +	426.27	3
4	426.36	426.52	426.34	426.32	426.32	426.33	426.32	426.29	426.31	426.29	426.31	426.31	4
5	426.35	426.49	426.33	426.32	426.32	426.33	426.31	426.28	426.30	426.29	426.31	426.33	5
<b>Tagesmittel</b>													
6	426.34	426.48	426.33	426.31	426.32	426.33	426.31	426.27 -	426.29	426.29 -	426.30	426.31	6
7	426.33	426.46	426.33	426.31	426.34	426.32	426.32	426.28	426.29	426.29	426.30	426.30	7
8	426.33	426.44	426.33	426.31	426.33	426.32	426.32	426.32	426.30	426.30	426.29	426.31	8
9	426.32	426.42	426.32	426.31	426.32	426.32	426.39	426.31	426.30	426.30	426.29	426.33	9
10	426.32	426.41	426.32	426.31	426.32	426.32	426.39	426.29	426.29	426.30	426.29	426.32	10
11	426.31	426.40	426.32 -	426.31	426.32	426.32	426.37	426.29	426.29	426.30	426.29	426.32	11
12	426.30 -	426.39	426.32	426.31	426.33	426.31	426.35	426.29	426.29	426.30	426.29	426.33	12
13	426.31	426.38	426.33	426.31	426.32	426.30	426.41	426.30	426.29	426.31	426.29	426.33	13
14	426.43	426.37	426.33	426.31	426.31	426.30	426.45	426.30	426.31	426.31	426.29	426.32	14
15	426.56	426.37	426.36	426.31	426.30 -	426.29	426.72	426.31	426.30	426.31	426.29	426.31	15
müM													
16	426.50	426.36	426.37 +	426.30	426.31	426.29	426.72 +	426.31	426.31	426.32 +	426.29	426.31	16
17	426.45	426.36	426.37	426.30	426.34	426.29	426.60	426.31	426.32	426.31	426.28	426.31	17
18	426.43	426.36	426.36	426.30	426.35	426.29	426.52	426.32	426.31	426.32 +	426.28	426.32	18
19	426.41	426.35	426.35	426.30	426.35	426.29	426.47	426.31	426.32	426.31	426.28	426.31	19
20	426.40	426.36	426.35	426.30	426.39	426.29	426.42	426.31	426.29 +	426.32 +	426.27	426.31	20
21	426.38	426.36	426.34	426.29	426.37	426.29	426.38	426.31	426.32	426.31	426.27	426.31	21
22	426.38	426.35	426.34	426.29 -	426.42 +	426.30	426.36	426.32	426.31	426.31	426.26	426.30	22
23	426.39	426.35	426.33	426.29	426.40	426.30	426.34	426.32	426.29	426.31	426.26	426.30	23
<b>+ Maximum</b>													
24	426.39	426.35	426.33	426.30	426.39	426.30	426.32	426.33 +	426.28 -	426.31	426.26	426.30	24
25	426.39	426.35	426.33	426.30	426.38	426.28 -	426.31	426.31	426.29	426.31	426.26	426.30	25
<b>- Minimum</b>													
26	426.37	426.35 -	426.33	426.31	426.37	426.29	426.30	426.32	426.29	426.30	426.26	426.33	26
27	426.36	426.35	426.33	426.31	426.36	426.28	426.29	426.31	426.29	426.31	426.26	426.33	27
28	426.41	426.35 -	426.33	426.31	426.36	426.30	426.28	426.31	426.29	426.31	426.26	426.36	28
29	426.64 +		426.33	426.31	426.35	426.39	426.27	426.31	426.29	426.31	426.26 -	426.38	29
30	426.61		426.33	426.31	426.35	426.45 +	426.26	426.31	426.29	426.31	426.26 -	426.42 +	30
31	426.58		426.33	426.31	426.34		426.25 -	426.30	426.29	426.30	426.26 -	426.39	31
<b>Monatsmittel</b>	426.40	426.40 +	426.34	426.31	426.34	426.31	426.38	426.30	426.30	426.30	426.28 -	426.32	müM
<b>Maximum (Spitze)</b>	426.70	426.55	426.38	426.33	426.42	426.48	426.81 +	426.33	426.33	426.32	426.31 -	426.43	müM
<b>Datum</b>	29.	1.	16.	div	22.	30.	15.	24.	19.	div	3.	30.	
<b>Monatsamplitude</b>	0.40	0.20	0.06	0.03	0.12	0.21	0.57 +	0.07	0.05	0.03 -	0.06	0.17	m
<b>Jahr</b>	Mittel 426.33		Max (Spitze) 426.81 (15.7.)				Min (Spitze) 426.25 (30.7.)		Jahresamplitude (Spitze) 0.57				



Periode	2012 - 2021 (ohne: 2013) (9 Jahre)												
<b>Monatsmittel</b>	426.24 +	426.24 +	426.22	426.18	426.20	426.19	426.18	426.14	426.13 -	426.14	426.16	426.19	müM
<b>Maximum (Spitze)</b>	426.74	426.55	426.46	426.33	426.48	426.48	426.81 +	426.33	426.33	426.37	426.32 -	426.45	müM
<b>Jahr</b>	2018	2021	2020	2021	2015	2021	2021	2021	2021	2020	2020	2012	
<b>Minimum (Spitze)</b>	426.02	426.12 +	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.01	426.01	müM
<b>Jahr</b>	2016	2012	2012	2012	2012	2012	2012	2012	2012	2012	2015	2017	
<b>Monatsamplitude (Max)</b>	0.53	0.20	0.19	0.11	0.37	0.24	0.57 +	0.13	0.10 -	0.12	0.15	0.34	m
<b>Jahr</b>	2018	2021	2019	2016	2015	2016	2021	2020	2012	2012	2016	2012	
<b>Periode</b>	Mittel 426.18		Max (Spitze) 426.81 (15.7.2021)				Min (Spitze) 425.90 (31.8.2012)		Periodenamplitude (Spitze) 0.92				



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2020		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez			
Tagesmittel	1	426.31 +	426.22 -	426.38	426.31 +	426.28 -	426.29	426.32 +	426.28	426.23 -	426.29	426.32	426.29	1		
	2	426.30	426.24	426.40	426.31	426.31	426.29	426.32	426.28	426.23 -	426.28	426.32 +	426.29	2		
	3	426.29	426.34	426.42	426.30	426.32	426.29	426.32	426.29	426.26	426.30	426.31	426.29	3		
	4	426.28	426.35	426.42	426.30	426.33	426.29	426.32	426.29 +	426.27	426.30	426.31	426.29	4		
	5	426.27	426.34	426.41	426.30	426.34	426.29	426.32	426.28	426.29	426.30	426.31	426.29	5		
	Tagesmittel	6	426.27	426.32	426.45 +	426.29	426.35 +	426.29 -	426.31	426.27	426.29	426.29	426.31	426.30	6	
		7	426.27	426.30	426.43	426.29	426.35 +	426.30	426.31	426.26	426.28	426.28	426.32 +	426.31	7	
		8	426.26	426.29	426.40	426.29	426.34	426.30	426.31	426.26	426.27	426.28	426.32	426.31	8	
		9	426.26	426.28	426.38	426.29	426.33	426.29	426.30	426.26	426.26	426.27	426.31	426.30	9	
		10	426.25	426.27	426.38	426.29	426.32	426.29 -	426.30	426.25	426.27	426.27	426.31	426.30	10	
		11	426.24	426.26	426.40	426.29	426.31	426.29	426.30	426.25	426.26	426.27 -	426.31	426.30	11	
		12	426.24	426.26	426.40	426.29	426.30	426.31	426.30	426.25	426.27	426.27	426.31	426.30	12	
		13	426.24	426.26	426.39	426.28	426.30	426.32	426.30	426.24	426.27	426.28	426.31	426.31	13	
		14	426.23	426.28	426.37	426.28	426.30	426.33	426.30	426.24	426.27	426.28	426.31	426.31	14	
		15	426.22	426.28	426.35	426.28	426.30	426.33	426.29	426.23	426.27	426.28	426.30	426.32	15	
	müM	16	426.22	426.28	426.34	426.28	426.30	426.33	426.29	426.23	426.27	426.28	426.31	426.31	16	
		17	426.21	426.28	426.32	426.27	426.30	426.34	426.29	426.25	426.27	426.28	426.30	426.31	17	
		18	426.21	426.27	426.31	426.27	426.30	426.34	426.29	426.24	426.28	426.28	426.30	426.31	18	
		19	426.20	426.27	426.31	426.27	426.29	426.36	426.29	426.24	426.28	426.28	426.30	426.30	19	
		20	426.20	426.27	426.30	426.27	426.29	426.33 +	426.29	426.23	426.28	426.29	426.30	426.30	20	
	+ Maximum	21	426.20	426.27	426.30	426.26	426.29	426.36	426.29	426.21	426.27	426.29	426.30	426.30	21	
		22	426.20	426.27	426.30	426.26	426.29	426.35	426.29	426.22	426.26	426.29	426.30	426.30	22	
		23	426.19	426.28	426.30	426.25	426.29	426.35	426.28	426.22	426.28	426.32	426.30	426.31	23	
		24	426.19	426.28	426.30	426.25	426.29	426.34	426.27	426.22	426.28	426.35	426.30	426.33	24	
		25	426.19	426.28	426.29	426.25	426.29	426.33	426.27 -	426.21	426.28	426.33	426.30	426.34	25	
		- Minimum	26	426.19 -	426.30	426.29 -	426.24	426.29	426.32	426.27 -	426.21	426.28	426.34	426.29	426.34	26
			27	426.19 -	426.32	426.29	426.24 -	426.29	426.32	426.27	426.17 -	426.28	426.35 +	426.29	426.34	27
			28	426.19	426.36 +	426.30	426.24	426.29	426.31	426.28	426.18	426.28	426.33	426.29	426.34	28
			29	426.22	426.35	426.31	426.25	426.29	426.31	426.28	426.23	426.30 +	426.33	426.29	426.35	29
			30	426.23		426.32	426.27	426.29	426.32	426.28	426.26	426.30	426.33	426.28 -	426.36	30
			31	426.23		426.31	426.27	426.29		426.28	426.25	426.32	426.32	426.28 +	426.37	31
Monatsmittel		426.23 -	426.29	426.35 +	426.28	426.31	426.32	426.30	426.24	426.27	426.30	426.30	426.31	müM		
Maximum (Spitze)		426.31	426.36	426.46 +	426.32	426.35	426.36	426.33	426.30 -	426.31	426.37	426.32	426.37	müM		
Datum		1.	28.	6.	1.	7.	20.	2.	3.	29.	26.	2.	31.			
Monatsamplitude		0.13	0.14	0.18 +	0.08	0.07	0.08	0.06	0.13	0.08	0.10	0.04 -	0.09	m		
Jahr		Mittel 426.29	Max (Spitze) 426.46 (6.3.)				Min (Spitze) 426.17 (28.8.)				Jahresamplitude (Spitze) 0.29					



Periode	2012 - 2020 (ohne: 2013) (8 Jahre)												
Monatsmittel	426.22 +	426.22 +	426.21	426.17	426.19	426.17	426.16	426.12	426.11 -	426.12	426.14	426.17	müM
Maximum (Spitze)	426.74 +	426.37	426.46	426.32	426.48	426.44	426.33	426.30 -	426.31	426.37	426.32	426.45	müM
Jahr	2018	2016	2020	2020	2015	2016	2020	2020	2020	2020	2020	2012	
Minimum (Spitze)	426.02	426.12 +	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.01	426.01	müM
Jahr	2016	2012	2012	2012	2012	2012	2012	2012	2012	2012	2015	2017	
Monatsamplitude (Max)	0.53 +	0.14	0.19	0.11	0.37	0.24	0.14	0.13	0.10 -	0.12	0.15	0.34	m
Jahr	2018	2020	2019	2016	2015	2016	2014	2020	2012	2012	2016	2012	
Periode	Mittel 426.17	Max (Spitze) 426.74 (22.1.2018)				Min (Spitze) 425.90 (31.8.2012)				Periodenamplitude (Spitze) 0.84			



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2019		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	426.21	426.20	426.18	426.21	426.17 -	426.25	426.20	426.24 -	426.24	426.23 -	426.27	426.29	1
	2	426.21	426.22	426.18	426.21	426.18	426.25 +	426.20	426.24 -	426.25	426.24	426.28	426.30	2
	3	426.21	426.22	426.19	426.20	426.18	426.24	426.19	426.24	426.25	426.23	426.28	426.31	3
	4	426.21	426.22	426.19	426.21 +	426.18	426.24	426.19	426.25	426.26 +	426.25	426.28	426.30	4
	5	426.21	426.22	426.19	426.21 +	426.18	426.23	426.19 -	426.26	426.26	426.26	426.30 +	426.30	5
	6	426.21	426.22	426.19	426.21	426.18	426.22	426.20	426.26	426.25	426.26	426.29	426.29	6
	7	426.20	426.21	426.18	426.21	426.18	426.21	426.21	426.26	426.25	426.27	426.28	426.28	7
	8	426.20	426.21	426.18	426.20	426.19	426.20	426.21	426.26	426.25	426.26	426.27	426.27	8
	9	426.20	426.21	426.17 -	426.20	426.20	426.20	426.21	426.25	426.25	426.28	426.27	426.27 -	9
	10	426.20	426.21	426.18	426.19	426.20	426.20	426.21	426.25	426.25	426.30	426.27	426.28	10
müM	11	426.19	426.22	426.19	426.19	426.19	426.22	426.22	426.26	426.25	426.30	426.26	426.27	11
	12	426.19 -	426.23 +	426.19	426.19	426.19	426.21	426.22	426.26	426.24	426.30	426.26	426.28	12
	13	426.24	426.22	426.19	426.19	426.19	426.19	426.22	426.25	426.24	426.29	426.25	426.28	13
	14	426.29 +	426.21	426.20	426.19	426.21	426.19	426.23	426.25	426.24	426.28	426.25	426.32	14
	15	426.27	426.21	426.33	426.19	426.21	426.19	426.24	426.25	426.24	426.28	426.25	426.34	15
	16	426.26	426.21	426.34 +	426.18	426.21	426.20	426.23	426.25	426.23	426.30	426.24	426.33	16
	17	426.25	426.20	426.31	426.18	426.21	426.19	426.23	426.25	426.23	426.30	426.24	426.31	17
	18	426.24	426.20	426.29	426.17	426.21	426.19	426.23	426.25	426.23	426.30	426.25	426.29	18
	19	426.23	426.20	426.27	426.17	426.20	426.19	426.23	426.26	426.23	426.33	426.25	426.28	19
	20	426.23	426.19	426.26	426.17	426.22	426.19	426.23	426.27	426.23	426.33 +	426.24	426.28	20
+ Maximum	21	426.22	426.19	426.25	426.17	426.25 +	426.19	426.24	426.28 +	426.23	426.32	426.24	426.27 -	21
	22	426.22	426.18	426.25	426.17	426.24	426.18 -	426.24	426.26	426.23	426.33	426.24	426.28	22
	23	426.22	426.18	426.24	426.18	426.24	426.18 -	426.24	426.26	426.23	426.32	426.23	426.31	23
	24	426.21	426.18	426.24	426.17	426.24	426.19	426.24	426.25	426.23 -	426.31	426.23	426.33	24
	25	426.21	426.18	426.23	426.17	426.24	426.19	426.24	426.25	426.23	426.30	426.23	426.34	25
	26	426.20	426.17 -	426.23	426.16	426.24	426.20	426.23	426.25	426.23	426.29	426.22 -	426.33	26
	27	426.21	426.17 -	426.22	426.16 -	426.24	426.20	426.23	426.25	426.23	426.28	426.23	426.35	27
	28	426.20	426.17	426.21	426.16 -	426.24	426.20	426.24	426.25	426.23	426.28	426.23	426.36 +	28
	29	426.20	426.17	426.21	426.16 -	426.24	426.20	426.25 +	426.24	426.23	426.27	426.26	426.34	29
	30	426.20	426.17	426.21	426.16 -	426.24	426.20	426.25	426.25	426.23 -	426.27	426.27	426.33	30
31	426.20	426.17	426.21	426.16 -	426.25	426.20	426.24	426.25	426.25	426.27	426.27	426.32	31	
Monatsmittel		426.22	426.20	426.22	426.19 -	426.21	426.20	426.22	426.25	426.24	426.29	426.26	426.30 +	müM
Maximum (Spitze)		426.29	426.23	426.36	426.22 -	426.25	426.25	426.25	426.29	426.26	426.34	426.30	426.37 +	müM
Datum		14.	11. / 12.	15.	4.	20. / 21.	1.	30.	21.	4.	19.	5.	27. / 28.	
Monatsamplitude		0.10	0.06	0.19 +	0.06	0.09	0.07	0.06	0.05	0.03 -	0.11	0.08	0.11	m
Jahr	Mittel	426.23				Max (Spitze) 426.37 (28.12.) (div)			Min (Spitze) 426.16 (28.4.) (div)			Jahresamplitude (Spitze) 0.21		



Periode	2012 - 2019 (ohne: 2013) (7 Jahre)												
Monatsmittel	426.22 +	426.21	426.19	426.15	426.17	426.15	426.14	426.11	426.09 -	426.09 -	426.12	426.16	müM
Maximum (Spitze)	426.74 +	426.37	426.36	426.24 -	426.48	426.44	426.25	426.29	426.26	426.34	426.30	426.45	müM
Jahr	2018	2016	2019	2018	2015	2016	2019	2019	2019	2019	2019	2012	
Minimum (Spitze)	426.02	426.12 +	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.01	426.01	müM
Jahr	2016	2012	2012	2012	2012	2012	2012	2012	2012	2012	2015	2017	
Monatsamplitude (Max)	0.53 +	0.13	0.19	0.11	0.37	0.24	0.14	0.10 -	0.10 -	0.12	0.15	0.34	m
Jahr	2018	2016	2019	2016	2015	2016	2014	2014	2012	2012	2016	2012	
Periode	Mittel	426.15				Max (Spitze) 426.74 (22.1.2018)			Min (Spitze) 425.90 (31.8.2012)			Periodenamplitude (Spitze) 0.84	



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2018		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	426.22 -	426.33 +	426.22	426.24	426.18	426.22 +	426.14	426.16 +	426.14	426.12	426.17	426.13 -	1
	2	426.23	426.33	426.22	426.24	426.19	426.20	426.13 -	426.16	426.14	426.12	426.16	426.14	2
	3	426.25	426.31	426.21	426.24 +	426.19	426.19	426.14	426.16	426.14	426.11	426.16	426.20	3
	4	426.34	426.29	426.21	426.24 +	426.20	426.19	426.13 -	426.16	426.14 +	426.11	426.16	426.24	4
	5	426.47	426.29	426.21	426.24	426.20	426.18	426.15	426.16	426.14 +	426.11	426.16	426.23	5
	6	426.42	426.28	426.21	426.23	426.21 +	426.16	426.17	426.15	426.14	426.10	426.16	426.21	6
	7	426.38	426.27	426.20	426.23	426.20	426.16	426.17	426.15	426.14	426.10	426.16	426.20	7
	8	426.34	426.26	426.21	426.23	426.19	426.16	426.17	426.15	426.14	426.10 -	426.16	426.19	8
	9	426.31	426.25	426.20	426.22	426.19	426.18	426.17	426.15	426.14	426.10 -	426.16	426.20	9
	10	426.28	426.24	426.20	426.22	426.18	426.16	426.18	426.15	426.14	426.11	426.16	426.21	10
müM	11	426.26	426.25	426.20	426.22	426.18	426.14	426.18	426.15	426.14	426.11	426.17	426.20	11
	12	426.26	426.25	426.20	426.22	426.17	426.14 -	426.19	426.15	426.14	426.11	426.17	426.19	12
	13	426.26	426.25	426.20	426.22	426.17	426.17	426.19	426.15	426.14	426.11	426.17	426.18	13
	14	426.26	426.24	426.20	426.22	426.16	426.16	426.20	426.16	426.14	426.11	426.17 +	426.17	14
	15	426.25	426.24	426.20	426.22	426.17	426.15	426.20 +	426.16	426.14	426.11	426.17	426.17	15
	16	426.26	426.26	426.20	426.22	426.17	426.15	426.20	426.16	426.14	426.11	426.16	426.17	16
	17	426.25	426.26	426.20	426.22	426.16	426.16	426.19	426.16	426.14	426.11	426.17	426.17	17
	18	426.29	426.26	426.21	426.22	426.16	426.16	426.19	426.16	426.14	426.12	426.16	426.16	18
	19	426.35	426.25	426.21	426.21	426.17	426.16	426.19	426.16	426.13	426.12	426.17	426.16	19
	20	426.34	426.24	426.20	426.20	426.18	426.15	426.19	426.16	426.13	426.12	426.16	426.17	20
+ Maximum	21	426.42	426.23	426.20	426.20	426.18	426.15	426.18	426.15	426.12	426.13	426.16	426.17	21
	22	426.57	426.23	426.20	426.19	426.19	426.15	426.18	426.15	426.12	426.13	426.16	426.21	22
	23	426.65 +	426.24	426.20	426.19	426.20	426.16	426.17	426.15	426.12	426.13	426.16	426.21	23
	24	426.55	426.24	426.20	426.19	426.19	426.15	426.18	426.15	426.12 -	426.14	426.16	426.30 +	24
	25	426.47	426.24	426.20	426.19	426.19	426.15	426.17	426.14	426.12	426.14	426.16	426.30	25
- Minimum	26	426.42	426.24	426.20	426.18	426.18	426.15	426.17	426.15	426.12	426.14	426.15	426.26	26
	27	426.37	426.23	426.19 -	426.18	426.18	426.15	426.17	426.15	426.12	426.15	426.15	426.24	27
	28	426.34	426.23 -	426.20	426.18 -	426.17	426.15	426.18	426.15	426.12	426.17	426.15	426.23	28
	29	426.31		426.21	426.18	426.15	426.15	426.18	426.14	426.12 -	426.17 +	426.14	426.22	29
	30	426.30		426.22	426.18 -	426.14 -	426.14	426.18	426.14	426.12	426.17	426.13 -	426.22	30
	31	426.30		426.23 +		426.17		426.17	426.14 -		426.17		426.21	31
Monatsmittel	426.35 +	426.26	426.21	426.21	426.18	426.16	426.17	426.15	426.13	426.12 -	426.16	426.20	müM	
Maximum (Spitze)	426.74 +	426.34	426.24	426.24	426.23	426.23	426.20	426.17	426.17	426.15 -	426.17	426.17	426.33	müM
Datum	22.	1.	31.	3. / 4.	31.	1.	15.	1.	4.	29. / 30.	14.	24.		
Monatsamplitude	0.53 +	0.12	0.05	0.07	0.09	0.10	0.08	0.03	0.03 -	0.07	0.05	0.19	m	
Jahr	Mittel 426.19	Max (Spitze) 426.74 (22.1.)				Min (Spitze) 426.10 (8.10.) (div)				Jahresamplitude (Spitze) 0.64				



Periode	2012 - 2018 (ohne: 2013) (6 Jahre)												
Monatsmittel	426.22 +	426.21	426.18	426.15	426.16	426.14	426.12	426.08	426.06 -	426.06 -	426.10	426.13	müM
Maximum (Spitze)	426.74 +	426.37	426.28	426.24	426.48	426.44	426.25	426.17	426.15 -	426.17	426.19	426.45	müM
Jahr	2018	2016	2016	2018	2015	2016	2016	2016	2018	2018	2014	2012	
Minimum (Spitze)	426.02	426.12 +	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.01	426.01	müM
Jahr	2016	2012	2012	2012	2012	2012	2012	2012	2012	2012	2015	2017	
Monatsamplitude (Max)	0.53 +	0.13	0.14	0.11	0.37	0.24	0.14	0.10 -	0.10 -	0.12	0.15	0.34	m
Jahr	2018	2016	2015	2016	2015	2016	2014	2014	2012	2012	2016	2012	
Periode	Mittel 426.13	Max (Spitze) 426.74 (22.1.2018)				Min (Spitze) 425.90 (31.8.2012)				Periodenamplitude (Spitze) 0.84			



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2017		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	426.08	426.14 -	426.16 -	426.18 +	426.14	426.13	426.13	426.05	426.06	426.05	426.03 -	426.04	1	
	2	426.08	426.14	426.19	426.17	426.14	426.11	426.13	426.05	426.06	426.05	426.03	426.04	2	
	3	426.08	426.14	426.20	426.17	426.13	426.11	426.13	426.05	426.07 +	426.06 +	426.03	426.04	3	
	4	426.08	426.15	426.19	426.17	426.13	426.12	426.13	426.04	426.05	426.06	426.03	426.03	4	
	5	426.08	426.15	426.18	426.17	426.13	426.11 -	426.13 +	426.04 -	426.05	426.05	426.04	426.03	5	
	Tagesmittel	6	426.08	426.16	426.22	426.17	426.13	426.11	426.13	426.04	426.05	426.05	426.04	426.03	6
		7	426.08	426.17	426.27 +	426.17	426.17	426.11 -	426.13	426.05	426.04	426.04	426.04	426.02	7
		8	426.08	426.18	426.25	426.17	426.19 +	426.11	426.13	426.06	426.04	426.04	426.04	426.02	8
		9	426.08	426.18 +	426.26	426.17	426.19	426.11	426.13	426.07	426.04	426.03	426.03	426.02 -	9
		10	426.08	426.18 +	426.26	426.17	426.18	426.11	426.13	426.09 +	426.05	426.03	426.03	426.02	10
		11	426.08	426.18	426.25	426.17	426.17	426.12	426.13	426.07	426.04	426.03	426.03	426.08	11
		12	426.09	426.17	426.24	426.16	426.16	426.12	426.12	426.06	426.04	426.03	426.10	426.13	12
		13	426.10 +	426.17	426.23	426.16	426.15	426.12	426.12	426.06	426.04	426.03	426.12 +	426.10	13
		14	426.10	426.17	426.22	426.15	426.15	426.12	426.12	426.05	426.04	426.03	426.09	426.12	14
		15	426.09	426.17	426.21	426.15	426.15	426.11	426.11	426.06	426.04	426.03	426.08	426.18	15
	müM	16	426.09	426.16	426.21	426.15	426.15	426.11	426.11	426.08	426.04 -	426.01 -	426.07	426.16	16
		17	426.09	426.16	426.21	426.15	426.15	426.11	426.11	426.08	426.04	426.01	426.06	426.15	17
		18	426.09	426.16	426.21	426.14	426.14	426.12	426.11	426.08	426.05	426.02	426.05	426.15	18
		19	426.08	426.16	426.21	426.14	426.14	426.12	426.11	426.08	426.05	426.02	426.05	426.13	19
		20	426.08	426.16	426.21	426.14	426.13	426.12	426.11	426.08	426.05	426.02	426.05	426.12	20
		21	426.08	426.15	426.21	426.14	426.13	426.12	426.10	426.08	426.05	426.02	426.04	426.12	21
	+ Maximum	22	426.07	426.15	426.20	426.14	426.13	426.12	426.10	426.08	426.05	426.02	426.04	426.12	22
		23	426.07	426.15	426.20	426.14 -	426.14	426.12	426.10	426.08	426.05	426.03	426.04	426.13	23
		24	426.07	426.15	426.19	426.14 -	426.14	426.12	426.10	426.08	426.05	426.03	426.04	426.13	24
		25	426.07	426.15	426.19	426.14 -	426.14	426.12	426.10	426.08	426.04	426.03	426.05	426.14	25
		26	426.07	426.15	426.19	426.15	426.14	426.12	426.10	426.09	426.08	426.04	426.03	426.06	426.13
	- Minimum	27	426.07	426.15	426.18	426.15	426.14	426.12	426.08	426.08	426.04	426.03	426.06	426.14	27
		28	426.07	426.16	426.18	426.15	426.14	426.13	426.07	426.08	426.04	426.03	426.04	426.13	28
		29	426.06 -	426.17	426.17	426.14	426.14	426.13	426.07	426.07	426.05	426.03	426.04	426.13	29
		30	426.06 -	426.17	426.17	426.14 -	426.14	426.14 +	426.06	426.07	426.05	426.03	426.04	426.15	30
		31	426.08	426.18	426.18	426.13 -	426.13 -	426.13 -	426.06 -	426.06 -	426.06	426.03	426.03	426.23 +	31
Monatsmittel	426.08	426.16	426.21 +	426.16	426.15	426.12	426.11	426.07	426.05	426.03 -	426.05	426.10	müM		
Maximum (Spitze) Datum	426.12 31.	426.18 9. / 10.	426.27 + 7.	426.18 1.	426.20 8.	426.14 1.	426.14 5. / 6.	426.10 10.	426.07 3.	426.06 3.	426.13 12. / 13.	426.24 31.	müM		
Monatsamplitude	0.06	0.07	0.11	0.05	0.08	0.04	0.08	0.05	0.03 -	0.05	0.11	0.23 +	m		
Jahr	Mittel 426.11	Max (Spitze) 426.27 (7.3.)			Min (Spitze) 426.01 (16.10.)			Jahresamplitude (Spitze) 0.26							



Periode	2012 - 2017 (ohne: 2013) (5 Jahre)												
Monatsmittel	426.19	426.20 +	426.18	426.14	426.16	426.14	426.11	426.07	426.05 -	426.05 -	426.09	426.12	müM
Maximum (Spitze) Jahr	426.49 + 2012	426.37 2016	426.28 2016	426.19 2014	426.48 2015	426.44 2016	426.25 2016	426.17 2016	426.12 2016	426.11 - 2014	426.19 2014	426.45 2012	müM
Minimum (Spitze) Jahr	426.02 2016	426.12 + 2012	426.08 2012	426.05 2012	426.01 2012	426.01 2012	425.98 2012	425.90 - 2012	425.90 2012	425.97 2012	426.01 2015	426.01 2017	müM
Monatsamplitude (Max) Jahr	0.32 2016	0.13 2016	0.14 2015	0.11 2016	0.37 + 2015	0.24 2016	0.14 2014	0.10 - 2014	0.10 - 2012	0.12 2012	0.15 2016	0.34 2012	m
Periode	Mittel 426.12	Max (Spitze) 426.49 (6.1.2012)			Min (Spitze) 425.90 (31.8.2012)			Periodenamplitude (Spitze) 0.59					



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2016		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	426.02 -	426.30	426.26	426.14	426.15	426.27	426.20	426.17	426.12 +	426.10	426.03	426.14 +	1
	2	426.02	426.27	426.26	426.13	426.15	426.25	426.20	426.16	426.12	426.10	426.03	426.13	2
	3	426.03	426.25	426.26	426.12	426.14	426.24	426.21	426.16	426.11	426.10	426.03 -	426.12	3
	4	426.06	426.24	426.26	426.11	426.14	426.24	426.21	426.16	426.11	426.10	426.03	426.12	4
	5	426.09	426.25	426.27	426.11	426.14	426.24	426.21	426.15	426.11	426.10	426.04	426.11	5
	6	426.09	426.25	426.28 +	426.10	426.15	426.23	426.21	426.14	426.10	426.10 +	426.07	426.11	6
	7	426.09	426.25	426.27	426.10	426.15	426.21	426.22	426.14	426.10	426.10	426.08	426.11	7
	8	426.12	426.24	426.26	426.09	426.15	426.21	426.22	426.13	426.09	426.10	426.08	426.10	8
	9	426.18	426.24	426.24	426.10	426.15	426.24	426.21	426.14	426.08	426.10	426.07	426.11	9
	10	426.19	426.24	426.23	426.09	426.15	426.23	426.21	426.15	426.07	426.10	426.11	426.10	10
	11	426.24	426.24 -	426.23	426.08 -	426.15	426.22	426.19	426.16	426.07	426.10	426.17 +	426.09	11
	12	426.28	426.24	426.22	426.08	426.13 -	426.21	426.20	426.17	426.06	426.10	426.15	426.09	12
	13	426.33 +	426.27	426.22	426.09	426.33	426.22	426.24 +	426.17 +	426.06 -	426.09	426.13	426.09	13
	14	426.32	426.35	426.22	426.10	426.33 +	426.27	426.22	426.17 +	426.06	426.09	426.13	426.08	14
	15	426.28	426.35 +	426.22	426.10	426.29	426.28	426.21	426.17 +	426.06 -	426.08	426.12	426.08	15
müM	16	426.26	426.31	426.22	426.10	426.26	426.27	426.20	426.17	426.06 -	426.08	426.12	426.08 -	16
	17	426.25	426.29	426.22	426.13	426.25	426.41 +	426.20	426.17	426.06	426.08	426.11	426.08 -	17
	18	426.24	426.28	426.21	426.18 +	426.24	426.39	426.20	426.17	426.07	426.07	426.12	426.08	18
	19	426.23	426.28	426.20	426.17	426.24	426.34	426.20	426.16	426.08	426.07	426.15	426.08	19
	20	426.23	426.27	426.19	426.16	426.23	426.31	426.20	426.16	426.08	426.07	426.14	426.08	20
+ Maximum	21	426.22	426.27	426.18	426.16	426.23	426.29	426.20	426.15	426.08	426.06	426.13	426.08	21
	22	426.21	426.27	426.17	426.14	426.23	426.27	426.19	426.15	426.08	426.05	426.13	426.08	22
	23	426.21	426.27	426.16	426.13	426.25	426.26	426.19	426.14	426.08	426.05	426.13	426.08	23
	24	426.22	426.28	426.16	426.14	426.32	426.24	426.19	426.14	426.08	426.04	426.12	426.08	24
	25	426.22	426.29	426.16	426.14	426.30	426.24	426.19	426.14	426.09	426.06	426.13	426.08	25
- Minimum	26	426.22	426.30	426.16	426.13	426.28	426.24	426.18	426.13	426.09	426.07	426.13	426.08	26
	27	426.22	426.29	426.15	426.13	426.26	426.23	426.18	426.13	426.09	426.06	426.14	426.08	27
	28	426.22	426.28	426.15	426.13	426.27	426.22	426.18	426.12	426.09	426.05	426.14	426.08	28
	29	426.21	426.27	426.15 -	426.14	426.29	426.20	426.18	426.12	426.09	426.05	426.14	426.08	29
	30	426.21	426.27	426.15 -	426.14	426.32	426.20 -	426.17	426.12	426.09	426.04	426.14	426.08	30
31	426.23	426.27	426.15 -	426.14	426.29	426.20	426.17	426.12	426.09	426.04	426.14	426.08	31	
Monatsmittel		426.19	426.27 +	426.21	426.12	426.22	426.26	426.20	426.15	426.08	426.08 -	426.11	426.09	müM
Maximum (Spitze) Datum		426.33 13.	426.37 14. / 15.	426.28 5. / 6.	426.18 18.	426.37 13.	426.44 + 17.	426.25 13.	426.17 15.	426.12 1.	426.10 - 6.	426.18 11.	426.14 1.	müM
Monatsamplitude		0.32 +	0.13	0.14	0.11	0.25	0.24	0.08	0.06 -	0.06	0.07	0.15	0.06	m
Jahr	Mittel	426.16			Max (Spitze) 426.44 (17.6.)			Min (Spitze) 426.02 (2.1.) (div)			Jahresamplitude (Spitze) 0.42			



Periode	2012 - 2016 (ohne: 2013) (4 Jahre)												
Monatsmittel	426.22 +	426.21	426.17	426.13	426.17	426.14	426.11	426.07	426.05 -	426.05 -	426.09	426.12	müM
Maximum (Spitze) Jahr	426.49 + 2012	426.37 2016	426.28 2016	426.19 2014	426.48 2015	426.44 2016	426.25 2016	426.17 2016	426.12 2016	426.11 - 2014	426.19 2014	426.45 2012	müM
Minimum (Spitze) Jahr	426.02 2016	426.12 + 2012	426.08 2012	426.05 2012	426.01 2012	426.01 2012	425.98 2012	425.90 - 2012	425.90 2012	425.97 2012	426.01 2015	426.02 2015	müM
Monatsamplitude (Max) Jahr	0.32 2016	0.13 2016	0.14 2015	0.11 2016	0.37 + 2015	0.24 2016	0.14 2014	0.10 - 2014	0.10 - 2012	0.12 2012	0.15 2016	0.34 2012	m
Periode	Mittel	426.13			Max (Spitze) 426.49 (6.1.2012)			Min (Spitze) 425.90 (31.8.2012)			Periodenamplitude (Spitze) 0.59		



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2015		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	426.11	426.27 +	426.19	426.17	426.22	426.21	426.15 +	426.09	426.06	426.02	426.03	426.08 +	1	
	2	426.10 -	426.25	426.21	426.16	426.44 +	426.21 +	426.14	426.09 +	426.06	426.02	426.03	426.07	2	
	3	426.12	426.25	426.19	426.18	426.44 +	426.20	426.14	426.08	426.06	426.02 -	426.03	426.07	3	
	4	426.20	426.24	426.16	426.18	426.44 +	426.20	426.13	426.08	426.07	426.03	426.03	426.06	4	
	5	426.21	426.23	426.15	426.19 +	426.39	426.20	426.13	426.07	426.06	426.02	426.03	426.06	5	
	Tagesmittel	6	426.19	426.23	426.15	426.18	426.38	426.20	426.12	426.07	426.07	426.03	426.02	426.06	6
		7	426.18	426.22	426.16	426.17	426.36	426.20	426.12	426.07	426.07 +	426.03	426.02	426.06	7
		8	426.17	426.22	426.17	426.17	426.33	426.20	426.11	426.06	426.07	426.03	426.02	426.06	8
		9	426.18	426.21	426.17	426.17	426.29	426.18	426.10	426.06	426.07	426.03	426.02	426.06	9
		10	426.19	426.21	426.17	426.18	426.26	426.17	426.10	426.06	426.06	426.03	426.02	426.06	10
		11	426.19	426.20	426.16	426.17	426.23	426.15	426.11	426.05	426.06	426.03	426.02	426.06	11
		12	426.19	426.20	426.16	426.18	426.21	426.14	426.11	426.05	426.06	426.03	426.02	426.05	12
		13	426.18	426.20	426.15	426.17	426.20	426.13	426.10	426.05	426.06	426.03	426.01 -	426.04	13
		14	426.18	426.20	426.15	426.17	426.18	426.13 -	426.10	426.05	426.06	426.03	426.01 -	426.05	14
		15	426.18	426.20	426.15	426.16	426.18	426.14	426.10	426.05	426.06	426.03	426.01 -	426.04	15
	müM	16	426.18	426.19	426.15	426.16	426.18	426.15	426.10	426.06	426.06	426.03	426.02	426.04	16
		17	426.18	426.19	426.15	426.16	426.17	426.14	426.09	426.05	426.07	426.03	426.02	426.04	17
		18	426.19	426.18	426.15	426.16	426.16	426.14	426.09	426.05 -	426.07	426.04 +	426.02	426.04	18
		19	426.18	426.18	426.15	426.16	426.15	426.15	426.09	426.05	426.06	426.04	426.02	426.03	19
		20	426.18	426.18 -	426.15	426.15	426.15 -	426.14	426.08	426.05	426.05	426.03	426.02	426.03	20
	+ Maximum	21	426.18	426.19	426.15	426.15	426.16	426.14	426.07	426.05	426.05	426.03	426.14 +	426.03	21
		22	426.18	426.19	426.15	426.15	426.17	426.14	426.07	426.06	426.05	426.03	426.12	426.03	22
		23	426.17	426.19	426.14	426.15	426.18	426.14	426.07	426.07	426.05	426.03	426.11	426.03	23
		24	426.18	426.20	426.14	426.15	426.18	426.14	426.06 -	426.08	426.05	426.03	426.09	426.02	24
		25	426.18	426.19	426.14	426.14	426.19	426.14	426.07	426.08	426.05	426.03	426.09	426.02	25
	- Minimum	26	426.18	426.19	426.14	426.14	426.19	426.15	426.07	426.07	426.05	426.03	426.08	426.02	26
		27	426.18	426.19	426.13	426.13	426.19	426.15	426.08	426.07	426.05	426.03	426.07	426.02	27
		28	426.18	426.19	426.13	426.12	426.20	426.14	426.07	426.07	426.05	426.03	426.07	426.02	28
		29	426.21		426.13 -	426.12	426.20	426.14	426.07	426.07	426.04	426.04 +	426.07	426.02	29
		30	426.32 +		426.23 +	426.11 -	426.21	426.15	426.08	426.07	426.03 -	426.04	426.08	426.02	30
		31	426.29		426.22 +		426.21		426.08	426.07	426.07	426.03	426.08	426.02	31
Monatsmittel		426.18	426.21	426.16	426.16	426.24 +	426.16	426.10	426.06	426.06	426.03 -	426.05	426.04	müM	
Maximum (Spitze)		426.33	426.27	426.27	426.19	426.48 +	426.22	426.15	426.09	426.08	426.04 -	426.15	426.08	müM	
Datum		30.	1.	30.	5.	2.	2.	1.	1. / 2.	17.	18.	21.	1.		
Monatsamplitude		0.22	0.10	0.14	0.08	0.37 +	0.09	0.09	0.05	0.05	0.02 -	0.14	0.07	m	
Jahr	Mittel	426.12			Max (Spitze) 426.48 (2.5.)			Min (Spitze) 426.01 (14.11.)			Jahresamplitude (Spitze) 0.47				



Periode	2012 - 2015 (ohne: 2013) (3 Jahre)												
Monatsmittel	426.23 +	426.19	426.15	426.13	426.15	426.10	426.08	426.04 -	426.04 -	426.05	426.09	426.13	müM
Maximum (Spitze)	426.49 +	426.30	426.27	426.19	426.48	426.22	426.23	426.16	426.11	426.11 -	426.19	426.45	müM
Jahr	2012	2014	2015	2014	2015	2015	2014	2014	2014	2014	2014	2012	
Minimum (Spitze)	426.10	426.12 +	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.01	426.02	müM
Jahr	2015	2012	2012	2012	2012	2012	2012	2012	2012	2012	2015	2015	
Monatsamplitude (Max)	0.26	0.12	0.14	0.08 -	0.37 +	0.09	0.14	0.10	0.10	0.12	0.14	0.34	m
Jahr	2012	2014	2015	2015	2015	2015	2014	2014	2012	2012	2015	2012	
Periode	Mittel	426.12			Max (Spitze) 426.49 (6.1.2012)			Min (Spitze) 425.90 (31.8.2012)			Periodenamplitude (Spitze) 0.59		





Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050


OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2014		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	426.19	426.22	426.25 +	426.18 +	426.16	426.15	426.11	426.15 +	426.11	426.08	426.08 -	426.15 +	1	
	2	426.19	426.21	426.25	426.18	426.15	426.15	426.12	426.13	426.10	426.08	426.08	426.15	2	
	3	426.18	426.21	426.25	426.18	426.15	426.14	426.12	426.12	426.09	426.08	426.08	426.14	3	
	4	426.19	426.21	426.24	426.17	426.15	426.13	426.12	426.11	426.08	426.08	426.08	426.13	4	
	5	426.21	426.21	426.22	426.17	426.15	426.13	426.12	426.12	426.10	426.08 -	426.08	426.10	426.12	5
	müM	6	426.20	426.21	426.22	426.17	426.14	426.14	426.12	426.09	426.09	426.07	426.13	426.12	6
		7	426.20	426.21	426.22	426.17	426.14	426.14	426.11 -	426.08	426.09	426.08	426.12	426.12	7
		8	426.20	426.21	426.22	426.18	426.15	426.14	426.12	426.06 -	426.09	426.10 +	426.11	426.12	8
		9	426.20	426.21	426.22	426.17	426.16	426.14	426.13	426.07	426.09	426.09	426.11	426.11	9
		10	426.20	426.19	426.21	426.17	426.17	426.13	426.17	426.10	426.10	426.08	426.11	426.11	10
		11	426.19	426.18	426.21	426.17	426.17	426.12	426.20	426.12	426.10	426.07	426.11	426.11	11
		12	426.19	426.18 -	426.21	426.17	426.17	426.12	426.20	426.09	426.11	426.07	426.10	426.10	12
		13	426.19	426.19	426.21	426.16	426.17	426.11	426.19	426.09	426.11 +	426.07	426.11	426.10	13
		14	426.18	426.23	426.21	426.16	426.17	426.11 -	426.17	426.08	426.11	426.06	426.11	426.10	14
		15	426.18 -	426.23	426.21	426.16	426.17	426.11	426.16	426.09	426.10	426.06	426.11	426.10	15
	müM	16	426.18	426.29 +	426.21	426.16	426.17	426.11	426.14	426.10	426.10	426.06	426.18 +	426.10 -	16
		17	426.21	426.29 +	426.21	426.16	426.18	426.12	426.13	426.12	426.10	426.06	426.17	426.10	17
		18	426.21	426.27	426.20	426.16	426.18 +	426.13	426.11	426.12	426.10	426.06 -	426.15	426.12	18
		19	426.20	426.25	426.20	426.16	426.17	426.13	426.11	426.12	426.10	426.07	426.14	426.12	19
		20	426.20	426.25	426.20	426.15	426.16	426.14	426.11	426.12	426.10	426.07	426.13	426.12	20
		21	426.19	426.25	426.19	426.15	426.16	426.13	426.15	426.12	426.10	426.07	426.13	426.12	21
	+ Maximum	22	426.19	426.25	426.19	426.15	426.15	426.14	426.22	426.13	426.10	426.08	426.15	426.11	22
		23	426.19	426.26	426.19	426.15 -	426.15	426.14	426.23 +	426.13	426.10	426.08	426.15	426.11	23
		24	426.20	426.26	426.18	426.15 -	426.13	426.16 +	426.21	426.14	426.10	426.08	426.15	426.11	24
		25	426.20	426.26	426.17	426.15	426.13	426.15	426.19	426.14	426.09	426.08	426.14	426.10	25
		- Minimum	26	426.20	426.25	426.17 -	426.15	426.13	426.13	426.18	426.13	426.09	426.07	426.14	426.10
	27		426.21	426.25	426.18	426.16	426.12 -	426.13	426.17	426.11	426.09	426.07	426.15	426.11	27
	28		426.21	426.26	426.18	426.17	426.12	426.12	426.16	426.11	426.09	426.07	426.15	426.11	28
	29		426.21	426.19	426.19	426.18 +	426.13	426.11	426.16	426.10	426.09	426.07	426.15	426.11	29
	30		426.22 +	426.19	426.19	426.16	426.13	426.11 -	426.16	426.10	426.08	426.06	426.15	426.11	30
	31		426.22	426.19	426.19	426.16	426.14	426.11	426.17	426.11	426.08	426.07	426.15	426.11	31
Monatsmittel	426.20	426.23 +	426.21	426.16	426.15	426.13	426.15	426.11	426.10	426.07 -	426.13	426.11	müM		
Maximum (Spitze) Datum	426.23 30.	426.30 + 16.	426.26 1.	426.19 29.	426.19 17. / 18.	426.17 24.	426.23 23.	426.16 1.	426.11 1.	426.11 - 8.	426.19 16.	426.16 1.	müM		
Monatsamplitude	0.05	0.12	0.09	0.04	0.07	0.06	0.14 +	0.10	0.03 -	0.05	0.12	0.06	m		
Jahr	Mittel 426.15	Max (Spitze) 426.30 (16.2.)				Min (Spitze) 426.06 (18.10.)				Jahresamplitude (Spitze) 0.24					



Periode	2012 - 2014 (ohne: 2013)												(2 Jahre)
Monatsmittel	426.25 +	426.19	426.15	426.12	426.10	426.08	426.08	426.03 -	426.03 -	426.05	426.11	426.17	müM
Maximum (Spitze) Jahr	426.49 + 2012	426.30 2014	426.26 2014	426.19 2014	426.19 2014	426.17 2014	426.23 2014	426.16 2014	426.11 2014	426.11 - 2014	426.19 2014	426.45 2012	müM
Minimum (Spitze) Jahr	426.18 + 2014	426.12 2012	426.08 2012	426.05 2012	426.01 2012	426.01 2012	425.98 2012	425.90 - 2012	425.90 2012	425.97 2012	426.05 2012	426.09 2014	müM
Monatsamplitude (Max) Jahr	0.26 2012	0.12 2014	0.09 2014	0.04 - 2014	0.07 2014	0.06 2014	0.14 2014	0.10 2014	0.10 2012	0.12 2012	0.12 2014	0.34 + 2012	m
Periode	Mittel 426.11	Max (Spitze) 426.49 (6.1.2012)				Min (Spitze) 425.90 (31.8.2012)				Periodenamplitude (Spitze) 0.59			



Grundwasserstand

Widiwald - Zuchwil


608/229/017

Koordinaten 2 608 920 / 1 229 050

OK Terrain 429.47 müM

Abstichpunkt 430.54 müM

2012		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	426.40	426.22 +	426.13 +	426.08	426.06	426.02	426.01	425.98 +	425.91	425.98	426.06	426.11 -	1	
	2	426.39	426.22	426.13	426.08	426.06	426.02	426.03 +	425.98	425.91 -	425.98	426.06	426.11 -	2	
	3	426.36	426.20	426.12	426.08	426.05	426.02	426.02	425.98	425.92	425.98 -	426.05 -	426.11 -	3	
	4	426.36	426.19	426.12	426.09	426.06	426.01	426.00	425.98	425.93	425.98	426.06	426.14	4	
	5	426.39	426.18	426.12	426.09	426.06	426.01 -	425.99	425.98	425.95	425.99	426.09	426.15	5	
	müM	6	426.47 +	426.17	426.12	426.08	426.05	426.01	426.02	425.97	425.96	425.99	426.07	426.15	6
		7	426.41	426.17	426.12	426.08	426.05	426.02	426.01	425.96	425.96	426.00	426.07	426.15	7
		8	426.38	426.16	426.11	426.07	426.06	426.03	425.99	425.95	425.97	426.00	426.07	426.14	8
		9	426.36	426.15	426.11	426.07	426.06	426.02	425.99	425.96	425.97	426.02	426.07	426.14	9
		10	426.35	426.15	426.11	426.07	426.05	426.02	425.99	425.96	425.96	426.02	426.08	426.13	10
		11	426.33	426.15	426.10	426.07	426.05	426.02	425.99	425.96	425.98	426.02	426.14 +	426.13	11
		12	426.33	426.15	426.10	426.07	426.05	426.02	425.99	425.96	425.99	426.02	426.13	426.12	12
		13	426.31	426.14	426.10	426.07	426.05	426.03	425.99	425.96	425.98	426.02	426.11	426.12	13
		14	426.30	426.14	426.10	426.07	426.05	426.03	426.00	425.96	425.97	426.01	426.10	426.12	14
		15	426.29	426.13	426.10	426.07	426.04	426.03	425.99	425.95	425.97	426.02	426.10	426.15	15
	+ Maximum	16	426.28	426.13	426.10	426.08	426.04	426.04	425.99	425.95	425.98	426.04	426.10	426.22	16
		17	426.27	426.13	426.10	426.08	426.05	426.04 +	425.99	425.95	425.99	426.04	426.10	426.29	17
		18	426.26	426.13	426.10	426.08	426.06	426.04 +	426.00	425.95	425.99	426.05	426.10	426.39	18
		19	426.25	426.13	426.10	426.08	426.07	426.03	426.00	425.94	425.99	426.05	426.10	426.39	19
		20	426.25	426.13	426.10	426.09	426.07 +	426.02	426.00	425.94	425.99	426.06	426.10	426.34	20
		21	426.27	426.12	426.09	426.09 +	426.06	426.02	426.01	425.93	426.00	426.07	426.10	426.32	21
	- Minimum	22	426.29	426.12 -	426.09	426.09	426.03	426.02	426.01	425.93	426.00 +	426.07	426.11	426.31	22
		23	426.29	426.12 -	426.09	426.09	426.02	426.02	426.01	425.93	426.00	426.06	426.11	426.43 +	23
		24	426.26	426.12 -	426.09	426.08	426.02 -	426.02	426.00	425.93	426.00	426.07	426.12	426.38	24
		25	426.25	426.12 -	426.09	426.07	426.02	426.03	426.00	425.93	426.00	426.07	426.12	426.33	25
		26	426.24	426.12	426.09	426.08	426.02	426.03	426.00	425.92	425.99	426.07	426.12	426.35	26
	27	426.23	426.13	426.09	426.08	426.03	426.03	426.00	425.91	425.99	426.08 +	426.13	426.34	27	
	28	426.24	426.13	426.08	426.07	426.04	426.03	425.99	425.91	425.98	426.08	426.13	426.35	28	
	29	426.24	426.13	426.08 -	426.07	426.04	426.02	425.99	425.91	425.97	426.07	426.12	426.32	29	
	30	426.23	426.13	426.08 -	426.06 -	426.03	426.01	425.98	425.91	425.97	426.07	426.11	426.29	30	
	31	426.23 -		426.08 -		426.02			425.98 -	425.90 -	426.07		426.28	31	
Monatsmittel		426.31 +	426.15	426.10	426.08	426.05	426.02	426.00	425.95 -	425.97	426.03	426.10	426.24	müM	
Maximum (Spitze)		426.49 +	426.22	426.13	426.09	426.07	426.04	426.04	425.98 -	426.00	426.09	426.15	426.45	müM	
Datum		6.	1.	1.	21.	19. / 20.	17. / 18.	6.	1.	22. / 24.	27.	11.	23.		
Monatsamplitude		0.26	0.11	0.06	0.04 -	0.06	0.04 -	0.06	0.09	0.10	0.12	0.10	0.34 +	m	
Jahr	Mittel	426.08				Max (Spitze) 426.49 (6.1.)			Min (Spitze) 425.90 (31.8.)			Jahresamplitude (Spitze) 0.59			



Periode	2012 - 2012												(1 Jahr)
Monatsmittel	426.31 +	426.15	426.10	426.08	426.05	426.02	426.00	425.95 -	425.97	426.03	426.10	426.24	müM
Maximum (Spitze)	426.49 +	426.22	426.13	426.09	426.07	426.04	426.04	425.98 -	426.00	426.09	426.15	426.45	müM
Jahr	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	
Minimum (Spitze)	426.22 +	426.12	426.08	426.05	426.01	426.01	425.98	425.90 -	425.90	425.97	426.05	426.11	müM
Jahr	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	
Monatsamplitude (Max)	0.26	0.11	0.06	0.04 -	0.06	0.04 -	0.06	0.09	0.10	0.12	0.10	0.34 +	m
Jahr	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	2012	
Periode	Mittel	426.08				Max (Spitze) 426.49 (6.1.2012)			Min (Spitze) 425.90 (31.8.2012)			Periodenamplitude (Spitze) 0.59	

